


MAXIMUM ALLOWABLE SLOPE LENGTH ABOVE FIBER ROLLS	
SLOPE	MAX INTERVAL
1V:4H or Flatter	20 ft
1V:4H - 1V:2H	15 ft
1V:2H or Steeper	10 ft


UNTRENCHED INSTALLATION

ENTRENCHED INSTALLATION


FIBER ROLL ISOMETRIC VIEW



FIBER ROLL OVERLAP




INLET PROTECTION



PLAN VIEW

TRAPEZOIDAL DITCH



FIBER ROLL CHECK DAM **PLAN VIEW**

NO SCALE

FIBER ROLL CHECK DAM SPACING TABLE CHECK DAM DITCH SPACING (S)* GRADE? 8" HIGH 12" HIGH 2% 33' *50'* 3% 22' 33' 4% 16' 25' 5% 13' 20'

* Do not install check dams on grades below 2%

** Adjust spacing as approved based on site conditions

Fiber roll, Upslope stake (typ.) 8" dia. (min.) Upslope stake (typ.) 8" dia. (min.)

V-DITCH

Downslope stake (typ.)

FIBER ROLL CHECK DAM CROSS SECTIONS

U.S. DEPARTMENT OF TRANSPORTATION, FHWA OFFICE OF FEDERAL LANDS HIGHWAY EFLHD DETAIL E157-04 SPECIFICATION FP-24, FP-14 **FIBER ROLL** APPROVED FOR USE 05/2024

NOTES:

- 1. Provide fiber rolls meeting the requirements of Subsection 713.12.
- 2. Use fiber rolls with a minimum 8-inch diameter. For drain inlet protection, use fiber rolls with a minimum 12-inch diameter.
- 3. Prior to installation, clear all obstructions including rocks, clods, and debris greater than 1-inch that may interfere with proper function of the fiber roll.
- 4. For untrenched installation, blow or hand place mulch or compost on uphill side of the slope along the fiber roll.
- 5. Place fiber rolls on level grade and parallel to contours. Extend both ends of the fiber roll at least 8 feet upslope at 45 degrees to the main
- 6. Use wood stakes with a minimum nominal cross section of 2- by 2-inch and of sufficient length to attain a minimum of 12 inches into the ground and 3 inches protruding above the roll. Furnish wood stakes meeting the requirements of Subsection 713.08(a).
- 7. When more than one fiber roll is needed, overlap ends 12 inches minimum and stake.
- 8. Remove sediment deposits when accumulation is one-half the height of the exposed fiber roll.
- 9. Replace biodegradable fiber rolls 6 months after installation and photodegradable fiber rolls 12 months after installation.
- 10. When fiber rolls are required on paved surfaces, use gravel bags to support them as shown on the inlet protection view.
- 11. Provide gravel bag weights meeting the requirements of Subsection 713.13.