

#### Table of Contents

Disclaimer	3
Protection of Data from Discovery Admission into Evidence	3
Executive Summary	4
Introduction	6
Program Structure	6
Program Administration	6
Program Methodology	8
Project Implementation	23
Funds Programmed	23
General Listing of Projects	25
Safety Performance	34
General Highway Safety Trends	34
Safety Performance Targets	
Applicability of Special Rules	43
Evaluation	45
Program Effectiveness	45
Effectiveness of Groupings or Similar Types of Improvements	46
Project Effectiveness	49
Compliance Assessment	50
Optional Attachments	53
Glossary	54

### Disclaimer

#### Protection of Data from Discovery Admission into Evidence

23 U.S.C. 148(h)(4) states "Notwithstanding any other provision of law, reports, surveys, schedules, lists, or data compiled or collected for any purpose relating to this section[HSIP], shall not be subject to discovery or admitted into evidence in a Federal or State court proceeding or considered for other purposes in any action for damages arising from any occurrence at a location identified or addressed in the reports, surveys, schedules, lists, or other data."

23 U.S.C. 407 states "Notwithstanding any other provision of law, reports, surveys, schedules, lists, or data compiled or collected for the purpose of identifying, evaluating, or planning the safety enhancement of potential accident sites, hazardous roadway conditions, or railway-highway crossings, pursuant to sections 130, 144, and 148 of this title or for the purpose of developing any highway safety construction improvement project which may be implemented utilizing Federal-aid highway funds shall not be subject to discovery or admitted into evidence in a Federal or State court proceeding or considered for other purposes in any action for damages arising from any occurrence at a location mentioned or addressed in such reports, surveys, schedules, lists, or data."

### **Executive Summary**

Summary Maryland Highway Safety Improvement Program (HSIP) CY 2022

• The purpose of the HSIP is to achieve a significant reduction in traffic fatalities and serious injuries on public roads. To obligate HSIP safety funds SHA must have in effect an HSIP under which the State: 1) develops and implements a Strategic Highway Safety Plan (SHSP) that identifies and analyzes highway safety problems and opportunities to reduce fatalities and serious injuries, 2) produces a program of projects or strategies to reduce identified safety problems, 3) evaluates the plan on a regular basis to ensure the accuracy of the data and priority of proposed improvements, 4) submits an annual report to the FHWA Division.

• The principal objective of Maryland's Fund 76 Safety and Spot Improvement Program is: on an annual basis, to identify those highway locations that contain safety deficiencies based on abnormal collision experiences and, as quickly as possible, implement safety improvements to reduce or eliminate these deficiencies.

• HSIP Staff is located in the Planning, Engineering, and Highway Safety Office portions of MDOT.

HSIP is administered centrally via Statewide Competitive Application Process.

• Local roads were planned for HSIP funds in CY 2022 under the new program established in 2020.

• The Maryland Highway Safety Office (MHSO) along with the Maryland Transportation Authority and the Maryland Institute for Emergency Medical Services are important partners with the Maryland State Highway Administration (SHA) in the HSIP process. The Federal Highway Administration (FHWA), National Highway Traffic Safety Administration, Federal Motor Carrier Safety Administration, and several regional planning organizations along with local governments, various police agencies, and academic organizations also coordinate with the SHA.

• Programs administered under the HSIP

- 1. Median Barrier
- 2. Horizontal Curve
- 3. Skid Hazard
- 4. Roadway Departure
- 5. Left-turn crash
- 6. Intersection Crash Data
- 7. Low-Cost Spot Improvements
- 8. Pedestrian Safety
- 9. Rural State Highway
- 10. Right Angle Crash
- 11. Highway Sections

• The data types used in the HSIP program methodology are vehicle crashes, traffic volume, and highway mileage.

• The project identification methodology used in the HSIP program are crash frequency and relative severity index.

• The HSIP projects are advanced for implementation by a SHA selection committee. The criteria considered are Safety, Congestion, Operations, and Local Support. This will be revised in the future.

- Engineering studies and Road Safety Assessments are used to identify potential countermeasures.
- The Highway Safety Manual is used in site-specific studies that are related to the HSIP.
- Reporting period for HSIP funding is CY 2022.
- All police crash reports used for the crash database are in electronic format as of January 1, 2015.

• The general listing of projects includes various traffic control, roadside, lighting, intersection geometry, and pedestrian-bicyclist access projects.

• The overview of safety trends indicates that the reported number of fatalities hasincreased from 512 (FARS) in 2018 to 564 (MD) in 2022 (annual format) and that the number of serious injuries (MD) has decreased from 3,233 in 2018 to 2,967 in 2022 (annual format). Please note that all 2021 FARS totals are preliminary at the time of this report. 2022 FARS totals are not available with state totals being used instead at the time of the report. Please also note that with the COVID-19 Pandemic in 2022, VMT dropped by about 6%, but the number of serious injuries didn't drop at the same rate and the number of fatalities increased instead, compared with 2019 data. The impact of the Pandemic on fatal and serious injury crashes seems still

considerable and please use caution when analyzing safety performance in CY 2022.

• The overview of safety trends indicates that the reported number of non-motorized fatalities has increased from 137 (FARS) in 2018 to 148 (MD) in 2022 (annual format) and that the number of non-motorized serious injuries (MD) has decreased from 527 in 2018 to 517 in 2022 (annual format). Please see the above note on 2021-22 FARS totals and the impact of the COVID-19 Pandemic.

• Overall five-year average crash trends for the individual functional classification and roadway ownership are shown in tables in the annual report.

• Maryland maintains the Toward Zero Deaths (TZD) approach by developing interim targets to reduce fatalities by at least 50 percent in the next two decades.

• "To begin, the development team conducted one-on-one interviews with key traffic safety partners across Maryland. Safety partners included leaders from government agencies, education, and outreach professionals, local law enforcement, and emergency services agencies. During the interviews, the team solicited insight into the status of traffic safety initiatives and current and future safety priorities for Maryland roadways."

"Information gathered from this safety partner survey helped refine goals, solicit new/updated action steps, identify emerging issues, and examine the progress of each SHSP Emphasis Area." (2021-25 SHSP).

• Older drivers and pedestrians (65 and older) Fatalities decreased from 123 in 2015 to 88 in 2022 (FARS – annual numbers. 2022 FARS totals are preliminary at the time of this report). Serious Injuries increased from 172 in 2015 to 265 in 2022 (MD – annual numbers).

• The State measures the effectiveness of the HSIP by the change in fatalities and serious injuries.

• Overall yearly crash trends for the individual SHSP (Strategic Highway Safety Program) emphasis areas are shown in tables in the annual report.

• All Maryland counties along with Baltimore City are now provided a three-year listing of pedestrian-involved crashes which includes a summary of serious injury and fatal crashes on state highways along with a detailed listing for local roads.

• Maryland's current SHSP was approved by the Governor or designated State representative in January 2021.

• The years being covered by the current SHSP are 2021 to 2025.

• Maryland anticipates completing its next SHSP update by 2025.

• The status (percent complete) of MIRE fundamental data elements collection efforts are shown in tables in the annual report.

• SHA has implemented Esri's Roads and Highways (R&H) software to manage our GIS roadway and LRS data for HPMS submission. This year SHA used Roads and Highways for their HPMS submission. With the Intersection Manager tool, and our ability to better manage intersection data and data gaps, we will be able to be 100 percent compliant by 2026.• In conjunction with the Esri R&H implementation, we also began the One Maryland, One Centerline (OMOC) program where SHA has met with all 23 counties, and Baltimore City, to discuss the sharing of data between jurisdictions via one common geometry, maintained by the appropriate authority. We have begun a pilot conflation process between SHA and two county jurisdictions to test the process and develop the protocols that will be used for the integration of the remaining counties of Maryland. This geometry will be the base of the R&H data model. This data sharing and cooperation between the local and state jurisdictions will better allow us to identify and fill data gaps, with the appropriate, authoritative information.

• FHWA has authorized several pilots to investigate developing methodologies to more accurately calculate local AADTs for lower functionally classified roadways. MIRE FDEs require this type of data, while the local jurisdictions do not have the wherewithal nor need to completely capture and maintain this type of data. Therefore, the need to develop better proxies or models to better estimate these AADTs for local roads is an ongoing activity.

• Following Federal law, 23 U.S.C. 148(i), an HSIP Implementation Plan was developed in CY 2023 to define strategies and projects that will result in Maryland reaching or making substantial progress toward achieving its Safety Performance Targets for FY2024 and beyond.

### Introduction

The Highway Safety Improvement Program (HSIP) is a core Federal-aid program with the purpose of achieving a significant reduction in fatalities and serious injuries on all public roads. As per 23 U.S.C. 148(h) and 23 CFR 924.15, States are required to report annually on the progress being made to advance HSIP implementation and evaluation efforts. The format of this report is consistent with the HSIP Reporting Guidance dated December 29, 2016 and consists of five sections: program structure, progress in implementing highway safety improvement projects, progress in achieving safety outcomes and performance targets, effectiveness of the improvements and compliance assessment.

### **Program Structure**

#### Program Administration

#### Describe the general structure of the HSIP in the State.

The purpose of the HSIP is to achieve a significant reduction in traffic fatalities and serious injuries on public roads. To obligate HSIP safety funds SHA must have in effect an HSIP under which the State: 1) develops and implements a Strategic Highway Safety Plan (SHSP) that identifies and analyzes highway safety problems and opportunities to reduce fatalities and serious injuries, 2) produces a program of projects or strategies to reduce identified safety problems, 3) evaluates the plan on a regular basis to ensure the accuracy of the data and priority of proposed improvements, 4) Assess the effectiveness of safety improvements, 5) submits an annual report to the FHWA Division.

Emphasis on Maryland's highways is placed on improving the safety of intersections, sections, and ramps that are identified as Candidate Safety Improvement Locations (CSILs) or through Road Safety Audits, on implementing proven blanket safety improvements on a systematic basis, and on applying the systemic approach to identify and improve areawide locations with low-cost, proven countermeasures proactively. Safety improvements include the installation of rumble strips and median barriers; upgrading signs, signals, and markings; improving lighting; improving geometrics; and highway and bridge widening, resurfacing, rehabilitation, and reconstruction.

The processes used to identify locations, referred to in the HSIP as hazardous locations, which have abnormal accident experiences. Those locations, referred to herein as Candidate Safety Improvement Locations (CSILs), include intersections, spots, and sections where the combination of accident frequencies and/or rates are significantly higher than those at similar locations. The identification of CSILs is based on all police-reported collisions, i.e., those crashes reported by law enforcement agencies across Maryland to the Maryland State Police. Information from these reports is entered into a statewide accident database for analysis.

The Maryland Department of Transportation State Highway Administration (SHA) typically identifies CSILs only on the state-maintained highway system. Several local jurisdictions use the accident data, which SHA provides to all of the jurisdictions annually, to identify similar locations on their road systems.

The principal objective of Maryland's Fund 76 Safety and Spot Improvement Program is: on an annual basis, to identify those highway locations that contain safety deficiencies based on abnormal collision experiences and, as quickly as possible, implement safety improvements to reduce or eliminate these deficiencies. Locations identified by the District Engineers as having a combined safety/capacity problem although not necessarily qualifying as Candidate Safety Improvement Locations also can be included as candidate Fund 76 Program projects. The SHA Administrator makes the final project selection.

Maryland's Fund 76 Spot Improvement Program was developed under the guidelines set forth in 23 CFR 924 and was designed to address the most critical highway safety problems statewide through a systematic and unbiased approach. The Fund 76 Program is under the direction of the SHA's Deputy Administrator/Chief Engineer for Operations, with program development and assistance from the Office of Traffic and Safety. Through the Fund 76 process, accident data for all State highways is reviewed annually, and all sections and intersections experiencing abnormally high accident rates are studied to determine what countermeasures are

applicable. In addition, listings of accidents on local roads are sent to the local governments for their use. Systemic countermeasures are applied in the Fund 76 Program. In addition, MDOT SHA is developing a Systemic Approach Program following the FHWA Systemic Safety Project Selection Tool. We identified statewide focus crash types and risk factors, screened and prioritized candidate locations, selected corresponding countermeasures, and prioritized systemic improvement projects for each facility type. The systemic projects are currently under review and will start to be implemented in the near future. In Maryland about ¼ fatalities and serious crashes occurred on roadways maintained by local agencies and HSIP funds need to be allocated to them to improve traffic safety on local roadways. MDOT SHA developed the HSIP Local Fund Program and started the application in FFY 2021. Multiple projects from various Counties and Municipalities in Maryland were reviewed and selected by MDOT SHA for implementation.

#### Where is HSIP staff located within the State DOT?

Other-Planning and Engineering

#### How are HSIP funds allocated in a State?

Central Office via Statewide Competitive Application Process

#### Describe how local and tribal roads are addressed as part of HSIP.

An HSIP Local Fund Program was developed by SHA and the Program began in 2021. Guidelines and application forms were provided to local agencies. Eligible Counties must have a Local Road Safety Plan (LRSP). Cities and municipalities can also participate through their county. For the first several years of the new program, we would support systemic improvement only and spot improvement will be eligible in later years. The application was due by May 15 each year and SHA reviewed and selected projects based on systemwide data, with emphasis on characteristics frequently present in severe crashes, and identified and prioritized locations across the roadway network for implementation. The selected local project will be supported with HSIP funds in the next federal fiscal year starting from October 1.

### Identify which internal partners (e.g., State departments of transportation (DOTs) Bureaus, Divisions) are involved with HSIP planning.

- Districts/Regions
- Governors Highway Safety Office
- Planning
- Traffic Engineering/Safety
- Other-Maryland State Highway District Offices

#### Describe coordination with internal partners.

Within the Maryland Department of Transportation (MDOT) the State Highway Administration (SHA) Office of Traffic and Safety (OOTS) and Office of Planning and Preliminary Engineering (OPPE) along with the Motor Vehicle Administration (MVA) Maryland Highway Safety Office (MHSO) provided leadership, support, and coordination for Maryland's highway safety projects in CY 2022. Part of MDOT SHA and MVA's responsibility is to work with other State agencies to address highway safety issues. This effort results in a multi-agency approach which includes the Maryland Transportation Authority, the Maryland Institute for Emergency Medical Services, and others that have roles in highway safety problems. The seven MDOT SHA District Offices also provide a network of field personnel willing to coordinate and provide technical assistance to local agencies.

#### Identify which external partners are involved with HSIP planning.

- Academia/University
- FHWA
- Law Enforcement Agency
- Local Government Agency
- Regional Planning Organizations (e.g. MPOs, RPOs, COGs)
- Other-External partners including MPOs, local government, police agencies and academic organizations

#### Describe coordination with external partners.

As stated in the 2021-2025 SHSP (Maryland Strategic Highway Safety Plan), stakeholder groups which included HSIP external partners participated in the development of the SHSP to identify, develop, and finalize strategies for the 2021-2025 SHSP. Stakeholder groups have coordinated the collection and maintenance of safety data for all public roads and processes for advancing the State's capabilities for safety data collection and analysis through the Traffic Records Coordinating Committee (TRCC). There's ongoing coordination taking place, which includes external partners, in the 2021-2025 SHSP Emphasis Area Teams.

#### Program Methodology

# Does the State have an HSIP manual or similar that clearly describes HSIP planning, implementation and evaluation processes?

Yes

The HSIP manual is being updated to include a process for funding local agencies.

#### Select the programs that are administered under the HSIP.

- Bicycle Safety
- Horizontal Curve
- Intersection
- Left Turn Crash
- Local Safety
- Low-Cost Spot Improvements
- Median Barrier
- Pedestrian Safety
- Right Angle Crash
- Roadway Departure
- Rural State Highways
- Segments
- Sign Replacement And Improvement
- Skid Hazard

#### Program: Bicycle Safety

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

Exposure

•

Roadway

All crashes

Volume Other-Highway mileage

#### What project identification methodology was used for this program?

- Crash frequency
- Crash rate
- Relative severity index

#### Are local roads (non-state owned and operated) included or addressed in this program?

No

Are local road projects identified using the same methodology as state roads?

How are projects under this program advanced for implementation?

selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 **Total Relative Weight:100** 

#### **Program: Horizontal Curve**

#### Date of Program Methodology: 1/1/2010

#### What is the justification for this program?

Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

#### Exposure

Roadway

• All crashes

- VolumeOther-Highway mileage
- Functional classification

#### What project identification methodology was used for this program?

- Crash frequency
- Crash rate
- Relative severity index

# Are local roads (non-state owned and operated) included or addressed in this program?

No

Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### **Program: Intersection**

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Roadway

All crashes

#### What project identification methodology was used for this program?

Exposure

- Crash frequency
- Relative severity index

# Are local roads (non-state owned and operated) included or addressed in this program?

No

#### Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### Program: Left Turn Crash

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

#### Crashes

Exposure

Roadway

• All crashes

What project identification methodology was used for this program?

- Crash frequency
- Relative severity index

Are local roads (non-state owned and operated) included or addressed in this program?

No

Are local road projects identified using the same methodology as state roads?

How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### **Program: Local Safety**

#### Date of Program Methodology:7/1/2021

#### What is the justification for this program?

Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

#### Crashes

#### Exposure

#### Roadway

All crashes

Volume

• Functional classification

Other-Highway mileage

#### What project identification methodology was used for this program?

- Crash frequency
- Crash rate
- Relative severity index

# Are local roads (non-state owned and operated) included or addressed in this program?

Yes

#### Are local road projects identified using the same methodology as state roads? Yes

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

Rank of Priority Consideration Ranking based on B/C:1 Ranking based on net benefit:2

#### Program: Low-Cost Spot Improvements

Date of Program Methodology:1/1/2010

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

• Volume

Roadway

All crashes

• Other-Highway mileage

#### What project identification methodology was used for this program?

- Crash frequency
- Crash rate
- Relative severity index

# Are local roads (non-state owned and operated) included or addressed in this program?

No

Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### Relative Weight in Scoring

Other-Safety:60 Other-Congestion / Opeartions:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### Program: Median Barrier

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

Exposure

Roadway

• All crashes

VolumeOther-Highway mileage

- Crash frequency
- Crash rate
- Relative severity index

# Are local roads (non-state owned and operated) included or addressed in this program?

No

#### Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### Relative Weight in Scoring

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### **Program: Pedestrian Safety**

#### Date of Program Methodology:1/1/2012

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

• Volume

Roadway

• All crashes

VolumeOther-Highway mileage

#### What project identification methodology was used for this program?

Crash frequency

- Crash rate
- Relative severity index

# Are local roads (non-state owned and operated) included or addressed in this program?

Yes

#### Are local road projects identified using the same methodology as state roads? Yes

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### Program: Right Angle Crash

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes
---------

Exposure

All crashes

#### What project identification methodology was used for this program?

- Crash frequency
- Relative severity index

Roadway

No

Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### **Program: Roadway Departure**

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

### • Volume

Roadway

• All crashes

Other-Highway mileage

- Crash frequency
- Crash rate
- Relative severity index

No

Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### **Program: Rural State Highways**

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Funding set-aside

#### What data types were used in the program methodology?

Crashes

• Volume

Roadway

• All crashes

- Other-Highway mileage
- Roadside features

- Crash frequency
- Crash rate
- Relative severity index

No

Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### Program: Segments

#### Date of Program Methodology:1/1/2010

#### What is the justification for this program?

Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

• Volume

Roadway

• All crashes

- Volume
  Other-Highway mileage
- Functional classification

- Crash frequency
- Crash rate
- Relative severity index

No

Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Safety:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### **Program: Sign Replacement And Improvement**

Date of Program Methodology:10/20/2020

What is the justification for this program?

What is the funding approach for this program?

What data types were used in the program methodology?CrashesExposureRoadway

What project identification methodology was used for this program?

Are local roads (non-state owned and operated) included or addressed in this program?

Are local road projects identified using the same methodology as state roads?

How are projects under this program advanced for implementation?

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### Program: Skid Hazard

#### Date of Program Methodology:1/1/2012

#### What is the justification for this program?

• Addresses SHSP priority or emphasis area

#### What is the funding approach for this program?

Competes with all projects

#### What data types were used in the program methodology?

Crashes

Volume

Roadway

• All crashes

- Volume
   Other-High
- Other-Highway mileage

#### What project identification methodology was used for this program?

Exposure

- Crash frequency
- Crash rate
- Relative severity index

### Are local roads (non-state owned and operated) included or addressed in this program?

No

#### Are local road projects identified using the same methodology as state roads?

#### How are projects under this program advanced for implementation?

• selection committee

Select the processes used to prioritize projects for implementation. For the methods selected, indicate the relative importance of each process in project prioritization. Enter either the weights or numerical rankings. If weights are entered, the sum must equal 100. If ranks are entered, indicate ties by giving both processes the same rank and skip the next highest rank (as an example: 1, 2, 2, 4).

#### **Relative Weight in Scoring**

Other-Saftey:60 Other-Congestion / Operations:30 Other-Support / Opportunity:10 Total Relative Weight:100

#### What percentage of HSIP funds address systemic improvements?

71

# HSIP funds are used to address which of the following systemic improvements?

- Add/Upgrade/Modify/Remove Traffic Signal
- Cable Median Barriers
- High friction surface treatment
- Install/Improve Lighting
- Install/Improve Pavement Marking and/or Delineation
- Install/Improve Signing
- Rumble Strips
- Upgrade Guard Rails

#### What process is used to identify potential countermeasures?

- Data-driven safety analysis tools (HSM, CMF Clearinghouse, SafetyAnalyst, usRAP)
- Engineering Study
- SHSP/Local road safety plan

#### Does the State HSIP consider connected vehicles and ITS technologies?

Yes

#### Describe how the State HSIP considers connected vehicles and ITS technologies.

We have a Connected & Automated Vehicle (CAV) program in Maryland. One CAV/ITS project, which sends real-time warnings to MDOT SHA operations vehicles, is currently supported by HSIP fund.

#### Does the State use the Highway Safety Manual to support HSIP efforts?

Yes

#### Please describe how the State uses the HSM to support HSIP efforts.

The Highway Safety Manual is used in site-specific studies as part of the HSIP Planning Process.

### **Project Implementation**

#### Funds Programmed

#### Reporting period for HSIP funding.

Calendar Year

#### Enter the programmed and obligated funding for each applicable funding category.

FUNDING CATEGORY	PROGRAMMED	OBLIGATED	% OBLIGATED/PROGRAMMED
HSIP (23 U.S.C. 148)	\$36,171,707	\$36,171,707	100%
HRRR Special Rule (23 U.S.C. 148(g)(1))	\$0	\$0	0%
VRU Safety Special Rule (23 U.S.C. 148(g)(3))	\$0	\$0	0%
Penalty Funds (23 U.S.C. 154)	\$0	\$0	0%
Penalty Funds (23 U.S.C. 164)	\$0	\$0	0%
RHCP (for HSIP purposes) (23 U.S.C. 130(e)(2))	\$1,075,749	\$1,075,749	100%
Other Federal-aid Funds (i.e. STBG, NHPP)	\$8,090,332	\$8,090,332	100%
State and Local Funds	\$0	\$0	0%
Totals	\$45,337,788	\$45,337,788	100%

# How much funding is programmed to local (non-state owned and operated) or tribal safety projects?

\$17,092

#### How much funding is obligated to local or tribal safety projects? \$17,092

# How much funding is programmed to non-infrastructure safety projects? \$0

### How much funding is obligated to non-infrastructure safety projects?

HSIP planning projects were obligated in the previous year to cover a two year period.

# How much funding was transferred in to the HSIP from other core program areas during the reporting period under 23 U.S.C. 126?

How much funding was transferred out of the HSIP to other core program areas during the reporting period under 23 U.S.C. 126?

Discuss impediments to obligating HSIP funds and plans to overcome this challenge in the future.

None at this time.

### General Listing of Projects

### List the projects obligated using HSIP funds for the reporting period.

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
RPM's at Various Locations in Dorchester, Somerset, Wicomico and Worcester Counties	Roadway delineation	Raised pavement markers			\$42000	\$42000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Lane Departure	Reduce the number and severity of infrastructur e-related crashes
Elk Neck Elementary School Pedestrian Safety Upgrades	Pedestrians and bicyclists	Pedestrian beacons	1	Locations	\$2114	\$2114	HSIP (23 U.S.C. 148)	Rural	Minor Collector	1,479	25	County Highway Agency	Spot	Pedestrians	Infrastructur e
Traffic Barrier Upgrades at various locations in Carroll, Frederick and Howard Counties	Roadside	Barrier - other			\$40000	\$40000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
Install and/or Repair RPMs at Various Locations in Montgomery and Prince George's Counties	Roadway delineation	Raised pavement markers			\$405000	\$405000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
Traffic Barrier Upgrades at Various Locations in Carroll, Frederick, and Howard Counties	Roadside	Barrier - other			\$213504 3	\$213504 3	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Spot	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
Traffic Barrier Upgrades at Various Locations Along MD 2 in Calvert County	Roadside	Barrier - other			\$200000 0	\$200000 0	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
I-95 Traffic Barrier Corridor Upgrades in Howard County	Roadside	Barrier - other			\$206000 0	\$206000 0	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
Modification/Installation/Reconstruc tion of Traffic Signals Statewide	Intersection traffic control	Modify traffic signal – modernization/replacem ent			\$500000	\$500000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Intersection s	Reduce fatalities and serious

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
															injuries at high-risk locations, corridors and with roadway elements
I-68 from MV Smith Road to 0.31 Miles East of Orleans Road Guardrail	Roadside	Barrier- metal	4.843	Miles	\$162386 7	\$162386 7	HSIP (23 U.S.C. 148)	Rural	Principal Arterial- Interstate	16,27 1	70	State Highway Agency	Spot	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
RPM and Rumble Strips in Cecil, Kent, Queen Anne's, Talbot, and Caroline Counties	Roadway delineation	Raised pavement markers			\$146458 8	\$146458 8	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Lane Departure	Reduce the number and severity of infrastructur e-related crashes
Modification/Installation/Reconstruc tion of Signing in Cecil, Caroline, Kent, Queen Anne's, Talbot, Dorchester, Somerset, Wicomico,& Worcester County	Roadway signs and traffic control	Roadway signs (including post) - new or updated			\$193079 6	\$193079 6	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Infrastructur e	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
Traffic Barrier Upgrades at Various Locations in Baltimore and Harford Counties	Roadside	Barrier - other			\$743171 0	\$743171 0	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
Mod/Install/Recon of Signing in Allegany, Garrett, Washington, Frederick, Carroll, and Howard Counties	Roadway signs and traffic control	Roadway signs (including post) - new or updated			\$327409 6	\$327409 6	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Infrastructur e	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
Install and/or Repair Raised Pavement Markers at various locations in District 3	Roadway delineation	Raised pavement markers			\$100000	\$100000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Lane Departure	Reduce the number and severity of infrastructur e-related crashes
Mod/Install/Recon of Traffic Signals/Lighting in AA, CA, CH, and SM Counties in District 5	Intersection traffic control	Modify traffic signal – modernization/replacem ent			\$508032	\$508032	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
Mod/Install/Recon of Traffic Signals - Statewide	Intersection traffic control	Modify traffic signal – modernization/replacem ent			\$508032	\$508032	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 100 from MD 174 to MD 10 - Guardrail	Roadside	Barrier - other	3.16	Miles	\$110000	\$110000	HSIP (23 U.S.C. 148)	Urban	Principal Arterial- Other Freeways & Expressways	78,83 8	55	State Highway Agency	Spot	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
MD 30 Hanover Pike at Bortner Road/Dover Road	Intersection geometry	Intersection geometry - other	1	Intersection s	\$300000	\$300000	HSIP (23 U.S.C. 148)	Rural	Principal Arterial- Other	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
Raised Pavement Markers at Various Locations in Anne Arundel, Calvert, Charles, and St. Mary's Counties	Roadway delineation	Raised pavement markers			\$124490 4	\$124490 4	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Lane Departure	Reduce the number and severity of infrastructur e-related crashes

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
Statewide - Real-Time Warnings of Fleet Vehicles for OTMO	Advanced technology and ITS	Advanced technology and ITS - other	1	ITS project	\$100000	\$100000	HSIP (23 U.S.C. 148)			0		State Highway Agency	Systemic	Work Zones	Reduce the number and severity of infrastructur e-related crashes
Mod/Install/Recon of Signing in CE, CO, KE, QA, TA, DO, SO, WI, and WO Counties in Districts 1 and 2	Roadway signs and traffic control	Roadway signs (including post) - new or updated			\$635040	\$635040	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Infrastructur e	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
Mod/Install/Recon of Lighting in MO, PG, AL, GA, WA, CL, FR, & HO Counties in District 3, 6, & 7	Lighting	Lighting - other			\$423360	\$423360	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Infrastructur e	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
W-Beam Upgrades at Various Locations in Prince George's and Montgomery Counties	Roadside	Barrier- metal			\$210000 0	\$210000 0	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
RPM Installation in Carroll, Frederick, and Howard Counties	Roadway delineation	Raised pavement markers			\$30000	\$30000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Lane Departure	Reduce the number and severity of infrastructur e-related crashes
Guardrails at various locations in MD 2 Solomons Island Road in Calvert County	Roadside	Barrier- metal			\$150000	\$150000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
MD 231 Hallowing Point Road from Toye Lane to Mason Rd	Roadway	Restripe roadway to revise separation	0.22	Miles	\$600000	\$600000	HSIP (23 U.S.C. 148)	Urban	Principal Arterial- Other	22,98 2	50	State Highway Agency	Spot	Roadway Departure	Reduce fatalities and serious

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
		between opposing lanes and/or shoulder widths													injuries at high-risk locations, corridors and with roadway elements
US 50 Ocean Gateway West of MD 347 to East of Rockawalkin Road	Intersection geometry	Innovative Intersection (e.g. MUT, RCUT, QR)	1.62	Miles	\$104500 0	\$104500 0	HSIP (23 U.S.C. 148)	Urban	Principal Arterial- Other	24,52 2	55	State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 26 at Marriotsville Road	Intersection geometry	Intersection geometry - other	1	Intersection s	\$325000	\$325000	HSIP (23 U.S.C. 148)	Urban	Principal Arterial- Other	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
US 340 Jefferson National Pike at MD 17, MD 180, and US 15 NB	Intersection geometry	Intersection geometry - other	3	Intersection s	\$500000	\$500000	HSIP (23 U.S.C. 148)	Multiple/Vari es	Principal Arterial- Other Freeways & Expressways	0	65	State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
Rumble Strips at Various Locations in Anne Arundel, Calvert, Charles and St. Mary's Counties	Roadway	Rumble strips –other			\$306666	\$306666	HSIP (23 U.S.C. 148)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
MD 228 Eastbound Left Turn Lane at Western Parkway	Intersection geometry	Intersection geometry - other	1	Intersection s	\$887460	\$887460	HSIP (23 U.S.C. 148)	Urban	Principal Arterial- Other	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
															locations, corridors and with roadway elements
MD 940 Owings Mills Blvd. at Red Run Blvd.	Intersection geometry	Intersection geometry - other	1	Intersection s	\$475000	\$475000	HSIP (23 U.S.C. 148)	Urban	Minor Arterial	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 231 - Hallowing Point Road at MD 508	Intersection geometry	Intersection geometry - other	1	Intersection s	\$120000 0	\$120000 0	HSIP (23 U.S.C. 148)	Rural	Principal Arterial- Other	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 355 1,000 ft. South of Doctor Perry Rd./Big Woods Rd. 1,000 North	Intersection geometry	Intersection geometry - other	1	Intersection s	\$171400 0	\$171400 0	HSIP (23 U.S.C. 148)	Urban	Major Collector	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 355 South Frederick Avenue at Rosemont Drive to North Westland Drive	Pedestrians and bicyclists	Pedestrian beacons	1	Crosswalks		\$157500	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Principal Arterial- Other	0		State Highway Agency	Spot	Pedestrians	Infrastructur e
US 50 Ocean Gateway at Aireys Spur Road	Intersection geometry	Intersection geometry - other	1	Intersection s		\$200000	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Principal Arterial- Other	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
															roadway elements
Thermoplastic Thin Line Striping at Various Locations in Anne Arundel, Calvert, Charles, and St. Mary's Counties	Roadway delineation	Longitudinal pavement markings - remarking				\$250000	Other Federal-aid Funds (i.e. STBG, NHPP)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Lane Departure	Reduce the number and severity of infrastructur e-related crashes
MD 3 Robert Crain Highway from Waugh Chapel Road/Riedel Road to MD 32/I-97	Roadway	Roadway - other	2.64	Miles		\$300000	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Principal Arterial- Other	66,73 1	50	State Highway Agency	Spot	Infrastructur e	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
Mod/Install/Recon of Signing in Allegany, Garrett, Washington, Frederick, Carroll, and Howard Counties						\$490000	Other Federal-aid Funds (i.e. STBG, NHPP)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Roadway Departure	Reduce the number and severity of infrastructur e-related crashes
MD 173 Fort Smallwood Road from Duval Highway to Kenton Road	Pedestrians and bicyclists	Install sidewalk	0.71	Miles		\$508648	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Principal Arterial- Other	9,201	40	State Highway Agency	Spot	Pedestrians	Infrastructur e
US 1 at Four Locations Between Prince George's County Line and Doctor Patel Drive Sidewalks	Pedestrians and bicyclists	Install sidewalk	4	Sidewalks		\$100000 0	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Principal Arterial- Other	0		State Highway Agency	Systemic	Pedestrians	Infrastructur e
Areawide Safety and Operational Improvements at various locations in Baltimore and Harford Counties in District 4	Roadway	Roadway - other				\$40000	Other Federal-aid Funds (i.e. STBG, NHPP)	Multiple/Vari es	Multiple/Varies	0		State Highway Agency	Systemic	Infrastructur e	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
MD 108 Clarksville Pike at Ten Mills Road	Intersection geometry	Intersection geometry - other	1	Intersection s		\$727440	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Minor Arterial	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 191 Bradley Boulevard at Offutt Lane to Strathmore Street	Roadway	Roadway - other	0.13	Miles		\$183750	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Minor Arterial	24,45 2	35	State Highway Agency	Spot	Infrastructur e	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 222 Perryville Road from Cedar Corner Road to Saint Mark's Church Road	Pedestrians and bicyclists	Install sidewalk	0.36	Miles		\$313809	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Minor Arterial	13,81 1	40	State Highway Agency	Spot	Pedestrians	Infrastructur e
MD 26 Liberty Road at Old Court Road; at Rolling Road; and at Milford Road	Intersection geometry	Intersection geometry - other	3	Intersection s		\$102375 0	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Principal Arterial- Other	34,12 0	35	State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 450 Baltimore-Annapolis Blvd./King George Street from College Creek Bridge to USNA Bridge	Pedestrians and bicyclists	Pedestrians and bicyclists – other	0.92	Miles		\$500000	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Multiple/Varies	0		State Highway Agency	Spot	Pedestrians	Infrastructur e
MD 66 Maple Avenue at MD 64	Intersection geometry	Intersection geometry - other	1	Intersection s		\$465435	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Local Road or Street	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with

PROJECT NAME	IMPROVEMEN T CATEGORY	SUBCATEGORY	OUTPUT S	OUTPUT TYPE	HSIP PROJEC T COST(\$)	TOTAL PROJEC T COST(\$)	FUNDING CATEGOR Y	LAND USE/AREA TYPE	FUNCTIONAL CLASSIFICATIO N	AADT	SPEE D	OWNERSHI P	METHOD FOR SITE SELECTIO N	SHSP EMPHASIS AREA	SHSP STRATEGY
															roadway elements
MD 7 Philadelphia Rd at Ebenezer Rd	Intersection geometry	Intersection geometry - other	1	Intersection s		\$690000	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Minor Arterial	0		State Highway Agency	Spot	Intersection s	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements
MD 725 from West of Service Lane to East of Governor Oden Bowie Drive	Pedestrians and bicyclists	Install sidewalk	0.3	Miles		\$500000	Other Federal-aid Funds (i.e. STBG, NHPP)	Urban	Minor Arterial	15,63 5	25	State Highway Agency	Spot	Pedestrians	Reduce fatalities and serious injuries at high-risk locations, corridors and with roadway elements

### Safety Performance

#### General Highway Safety Trends

# Present data showing the general highway safety trends in the State for the past five years.

PERFORMANCE MEASURES	2014	2015	2016	2017	2018	2019	2020	2021	2022
Fatalities	442	520	522	558	512	535	573	563	564
Serious Injuries	3,053	2,598	3,167	3,347	3,233	3,122	2,652	3,042	2,967
Fatality rate (per HMVMT)	0.780	0.890	0.880	0.930	0.860	0.890	1.133	0.994	0.993
Serious injury rate (per HMVMT)	5.410	4.533	5.370	5.588	5.422	5.193	5.242	5.373	5.225
Number non-motorized fatalities	106	108	124	128	137	134	153	137	148
Number of non- motorized serious injuries	432	372	486	563	527	506	453	526	517









### Fatality rate (per HMVMT)



The data provided above may not match previous reporting or FARS data.

2017

**NINN** Serious Injuries

2016

#### Describe fatality data source.

2015

Fatalities

2014

FARS

# To the maximum extent possible, present this data by functional classification and ownership.

2018

2019

2020

→ 5 Year Rolling Avg.

2021

2022

Functional Classification	Number of Fatalities (5-yr avg)	Number of Serious Injuries (5-yr avg)	Fatality Rate (per HMVMT) (5-yr avg)	Serious Injury Rate (per HMVMT) (5-yr avg)
Rural Principal Arterial (RPA) - Interstate	11.2	32.2	0.54	1.54
Rural Principal Arterial (RPA) - Other Freeways and Expressways	5.2	11.6	0.26	0.59
Rural Principal Arterial (RPA) - Other	27.4	99	5.51	19.7
Rural Minor Arterial	30.2	114.2	1.77	6.67
Rural Minor Collector	11.8	53.8	1.66	7.54
Rural Major Collector	26.4	98	1.72	6.34

Functional Classification	Number of Fatalities (5-yr avg)	Number of Serious Injuries (5-yr avg)	Fatality Rate (per HMVMT) (5-yr avg)	Serious Injury Rate (per HMVMT) (5-yr avg)
Rural Local Road or Street	13	70.8	0.76	4.13
Urban Principal Arterial (UPA) - Interstate	56.4	211.4	0.38	1.43
Urban Principal Arterial (UPA) - Other Freeways and Expressways	50.6	129.6	0.78	2
Urban Principal Arterial (UPA) - Other	147.8	721.6	1.48	7.16
Urban Minor Arterial	79.8	461.2	1.11	6.36
Urban Minor Collector	5.6	34.8	0.79	5
Urban Major Collector	38.6	256	0.96	6.36
Urban Local Road or Street	22.2	175.6	0.68	5.38

Roadways	Number of Fatalities (5-yr avg)	Number of Serious Injuries (5-yr avg)	Fatality Rate (per HMVMT) (5-yr avg)	Serious Injury Rate (per HMVMT) (5-yr avg)
State Highway Agency	376.4	1,781		
County Highway Agency	106.8	738		
Town or Township Highway Agency				
City or Municipal Highway Agency	26.8	226.6		
State Park, Forest, or Reservation Agency				
Local Park, Forest or Reservation Agency				
Other State Agency	0	2.8		
Other Local Agency				
Private (Other than Railroad)				
Railroad				
State Toll Authority				
Local Toll Authority				
Other Public Instrumentality (e.g. Airport, School, University)	1.4	6.8		
Indian Tribe Nation				

Year 2019

### Safety Performance Targets

Safety Performance Targets

#### Calendar Year 2024 Targets \*

#### Number of Fatalities:490.9

Describe the basis for established target, including how it supports SHSP goals.

Targets are derived from the 2021-2025 Strategic Highway Safety Plan (SHSP). Annual targets for the SHSP are set using a two-pronged approach. Targets that are experiencing a decreasing trend over time are set using five-year rolling averages and an exponential trend line without a fixed endpoint to calculate future targets. By removing the fixed endpoint, it is anticipated that more practical performance measure targets will be computed by following historically decreasing data patterns. For those targets experiencing increasing trends, however, projections are based on a 2% decrease from the 2016-2020 five-year average, continuing with a 2% decrease for each successive five-year average.

This method is applied to the five performance measures required by the Federal Highway Administration (FHWA): fatalities, fatality rate, serious injuries, serious injury rate, and non-motorized fatalities and serious injuries with the first three being identical in Maryland's HSP and HSIP.

#### Number of Serious Injuries:2146.3

#### Describe the basis for established target, including how it supports SHSP goals.

Targets are derived from the 2021-2025 Strategic Highway Safety Plan (SHSP). Annual targets for the SHSP are set using a two-pronged approach. Targets that are experiencing a decreasing trend over time are set using five-year rolling averages and an exponential trend line without a fixed endpoint to calculate future targets. By removing the fixed endpoint, it is anticipated that more practical performance measure targets will be computed by following historically decreasing data patterns. For those targets experiencing increasing trends, however, projections are based on a 2% decrease from the 2016-2020 five-year average, continuing with a 2% decrease for each successive five-year average.

This method is applied to the five performance measures required by the Federal Highway Administration (FHWA): fatalities, fatality rate, serious injuries, serious injury rate, and non-motorized fatalities and serious injuries with the first three being identical in Maryland's HSP and HSIP.

#### Fatality Rate:0.827

#### Describe the basis for established target, including how it supports SHSP goals.

Targets are derived from the 2021-2025 Strategic Highway Safety Plan (SHSP). Annual targets for the SHSP are set using a two-pronged approach. Targets that are experiencing a decreasing trend over time are set using five-year rolling averages and an exponential trend line without a fixed endpoint to calculate future targets. By removing the fixed endpoint, it is anticipated that more practical performance measure targets will be computed by following historically decreasing data patterns. For those targets experiencing increasing trends, however, projections are based on a 2% decrease from the 2016-2020 five-year average, continuing with a 2% decrease for each successive five-year average.

This method is applied to the five performance measures required by the Federal Highway Administration (FHWA): fatalities, fatality rate, serious injuries, serious injury rate, and non-motorized fatalities and serious injuries with the first three being identical in Maryland's HSP and HSIP.

#### Serious Injury Rate:3.590

#### Describe the basis for established target, including how it supports SHSP goals.

Targets are derived from the 2021-2025 Strategic Highway Safety Plan (SHSP). Annual targets for the SHSP are set using a two-pronged approach. Targets that are experiencing a decreasing trend over time are set using five-year rolling averages and an exponential trend line without a fixed endpoint to calculate future targets. By removing the fixed endpoint, it is anticipated that more practical performance measure targets will

be computed by following historically decreasing data patterns. For those targets experiencing increasing trends, however, projections are based on a 2% decrease from the 2016-2020 five-year average, continuing with a 2% decrease for each successive five-year average.

This method is applied to the five performance measures required by the Federal Highway Administration (FHWA): fatalities, fatality rate, serious injuries, serious injury rate, and non-motorized fatalities and serious injuries with the first three being identical in Maryland's HSP and HSIP.

#### **Total Number of Non-Motorized Fatalities and Serious Injuries:597.3**

#### Describe the basis for established target, including how it supports SHSP goals.

Targets are derived from the 2021-2025 Strategic Highway Safety Plan (SHSP). Annual targets for the SHSP are set using a two-pronged approach. Targets that are experiencing a decreasing trend over time are set using five-year rolling averages and an exponential trend line without a fixed endpoint to calculate future targets. By removing the fixed endpoint, it is anticipated that more practical performance measure targets will be computed by following historically decreasing data patterns. For those targets experiencing increasing trends, however, projections are based on a 2% decrease from the 2016-2020 five-year average, continuing with a 2% decrease for each successive five-year average.

This method is applied to the five performance measures required by the Federal Highway Administration (FHWA): fatalities, fatality rate, serious injuries, serious injury rate, and non-motorized fatalities and serious injuries with the first three being identical in Maryland's HSP and HSIP.

### Describe efforts to coordinate with other stakeholders (e.g. MPOs, SHSO) to establish safety performance targets.

"To begin, the development team conducted one-on-one interviews with key traffic safety partners across Maryland. Safety partners included leaders from government agencies, education, and outreach professionals, local law enforcement, and emergency services agencies. During the interviews, the team solicited insight into the status of traffic safety initiatives and current and future safety priorities for Maryland roadways." "Information gathered from this safety partner survey helped refine goals, solicit new/updated action steps, identify emerging issues, and examine the progress of each SHSP Emphasis Area."[1] The list of stakeholder safety partner agencies is as follows: Advocates for Highway and Auto Safety AAA Mid-Atlantic AAA Foundation for Traffic Safety Baltimore County Police Department **Baltimore Metropolitan Council BWI** Airport **Calvert County Police Department Carroll County Department of Health** Carroll County Department of Public Works Cecil County Department of Public Works Chesapeake Region Safety Council-NSC Crash Center for Research and Education Federal Highway Administration Federal Motor Carrier Safety Administration Harford County Sheriff's Office Howard County Fire & Rescue Howard County Government

Johns Hopkins University

MADD

Maryland Department of Agriculture Maryland Department of Health Maryland Department of Transportation Maryland Farm Bureau Maryland Highway Safety Office MD Institute for Emergency Medical Services Maryland Motor Vehicle Administration Maryland State's Attorneys' Association Maryland State Police Maryland State Highway Administration Maryland Transportation Authority Police Montgomery County Engineering and Planning Montgomery County Police Department Morgan State University National Highway Traffic Safety Administration Prime Engineering Prince George's County Dept. of Public Works Prince George's County Fire & Rescue University of MD Medical Center The University of Maryland National Study Center Washington College Washington Regional Alcohol Program [2] [1] Maryland Strategic Highway Safety Plan 2021-25 PG 3 [2] Maryland Strategic Highway Safety Plan 2021-25 Appendix A The process stakeholders from SHSP were consulted to establish safety performance targets.

#### Does the State want to report additional optional targets?

No

Describe progress toward meeting the State's 2022 Safety Performance Targets (based on data available at the time of reporting). For each target, include a discussion of any reasons for differences in the actual outcomes and targets.

PERFORMANCE MEASURES	TARGETS	ACTUALS
Number of Fatalities	466.6	549.4
Number of Serious Injuries	2263.9	3003.2
Fatality Rate	0.774	0.974
Serious Injury Rate	3.815	5.291
Non-Motorized Fatalities and Serious Injuries	554.7	647.6

Motor vehicle crashes continue to present a major public health concern in the U.S. and in Maryland, representing a leading cause, or among the top ten causes, of death for all age groups under 65. Crash trends are largely attributable to corresponding fluctuations in vehicle miles traveled (VMT) resulting from economic upturns and downturns. For example, with increased Vehicle Miles Traveled (VMT) on Maryland roadways, the number of vehicles and drivers on the road creates greater exposure in environments, where risky driver

behavior escalates negative outcomes.

Following national patterns, Maryland saw a rise in fatalities over a consecutive three-year period (2018–2020), followed by a slight reduction in 2021 and a marginal uptick in 2022. The volume of vehicle miles traveled (VMT) displayed fluctuations due to COVID-related restrictions and the subsequent return to work dynamics. Notably, 2020 witnessed a historic low in VMT, marked by a 16% decline compared to 2019. Subsequently, there was a noteworthy 12% VMT surge in 2021 relative to 2020. Despite these shifts, the VMT for 2021 still remained nearly 6% below the levels recorded prior to the pandemic in 2019. However, the increase in VMT was marginal in 2022, amounting to only about 0.3% when compared to 2021.

In 2022, the Maryland experienced a minor rise in total fatalities and non-motorists fatalities. However, there was a slight reduction in total serious injuries and non-motorists serious injuries. Additionally, the fatality rate and serious injury rate exhibited a slight decrease when compared to the statistics from 2021.

Maryland has experienced a general downward trend in serious injuries for more than the past decade, though 2021 saw the first year-over-year increase since 2017. Some reasons for the fluctuations in serious injury trends can be attributed to changes in how law enforcement is trained and submitting injury severity information on the Maryland crash report (ACRS), but also improvements in patient care and vehicle technology. There is a slight reduction in serious injuries in 2022 when compared to 2021.

Year-to-year fluctuations are a challenging measure to track and comment on as most trends, whether positive or negative, occur over longer periods of time and are affected by changes in national, state, and local policies; transportation investments; safer vehicles and newer technologies; and shifts in generational and cultural norms.

Maryland is not alone, with increases in pedestrian fatalities also noted nationally, indicating a larger trend throughout the country that is reflected at the state and local levels. Mirroring national trends, Maryland has steadily experienced increases in fatalities and serious injuries in its most vulnerable road users—non-motorists (pedestrians and bicyclists). While Maryland does not have an exposure measure to determine precisely an increase in road use by pedestrians and bicyclists, Maryland has increased pedestrian and bicyclist facilities year after year and is experiencing similar trends in changes in transportation mode use seen nationally.

MDOT monitors these fluctuations and works diligently to prevent injuries and fatalities by implementing the strategies in the Maryland Strategic Highway Safety Plan (SHSP).

#### Applicability of Special Rules

**Does the VRU Safety Special Rule apply to the State for this reporting period?** Yes

### **Does the HRRR special rule apply to the State for this reporting period**? No

# Provide the number of older driver and pedestrian fatalities and serious injuries 65 years of age and older for the past seven years.

PERFORMANCE MEASURES	2016	2017	2018	2019	2020	2021	2022
Number of Older Driver and Pedestrian Fatalities	116	89	73	100	86	75	88
Number of Older Driver and Pedestrian Serious Injuries	263	279	248	265	191	256	265

### **Evaluation**

#### **Program Effectiveness**

#### How does the State measure effectiveness of the HSIP?

• Change in fatalities and serious injuries

### Based on the measures of effectiveness selected previously, describe the results of the State's program level evaluations.

Program Type: Wet Surface Crashes Target Crash Type: Wet Road 2020 Fatalities – 91 2021 Fatalities – 69

2022 Fatalities - 79

2020 Serious Injuries – 371 2021 Serious Injuries – 343

2022 Serious Injuries – 395

For Wet Surface crashes, the Fatalities decreased by 15% and Serious Injuries increased by 6% during the 2020-22 period. Program Type: Left Turn Crashes Target Crash Type: Left Turn 2020 Fatalities – 27 2021 Fatalities – 26

2022 Fatalities - 27

2020 Serious Injuries – 154 2021 Serious Injuries – 225

2022 Serious Injuries – 204

For Left Turn crashes, the Fatalities remains unchanged, and Serious Injuries increase by 25% during the 2020-22 period.

Program Type: Angle Crashes Target Crash Type: Angle 2020 Fatalities – 81 2021 Fatalities – 65

2022 Fatalities – 69 2020 Serious Injuries – 488

2021 Serious Injuries – 603 2022 Serious Injuries – 557

For Angle crashes, the Fatalities decreased by 17% and Serious Injuries increase by 12% during the 2020-22 period.

### What other indicators of success does the State use to demonstrate effectiveness and success of the Highway Safety Improvement Program?

- HSIP Obligations
- Increased awareness of safety and data-driven process
- Increased focus on local road safety

In the fiscal year SHA was able to obligate more HSIP funding than was apportioned.

#### Effectiveness of Groupings or Similar Types of Improvements

#### Present and describe trends in SHSP emphasis area performance measures.

SHSP Emphasis Area	Targeted Crash Type	Number of Fatalities (5-yr avg)	Number of Serious Injuries (5-yr avg)	Fatality Rate (per HMVMT) (5-yr avg)	Serious Injury Rate (per HMVMT) (5-yr avg)
Roadway Departure		171.2	711.2	0.3	1.25
Intersections		152	1,131.4	0.27	1.99
Pedestrians		127.8	414.8	0.23	0.73
Bicyclists		9.6	70.8	0.02	0.12
Aggressive Driving		40.2	173	0.07	0.3
Occupant Protection		138	483	0.24	0.85
Distracted Driving		204.2	1,415.8	0.36	2.49
Impaired Driving		160	453	0.28	0.8

Year 2022





### Project Effectiveness

Provide the following information for previously implemented projects that the State evaluated this reporting period.

### **Compliance Assessment**

### What date was the State's current SHSP approved by the Governor or designated State representative?

01/31/2021

#### What are the years being covered by the current SHSP?

From: 2021 To: 2025

#### When does the State anticipate completing it's next SHSP update?

2025

Provide the current status (percent complete) of MIRE fundamental data elements collection efforts using the table below.

*Based on Functional Classification (MIRE 1.0 Element Number) [MIRE 2.0 Element Numbe
---

ROAD TYPE*MIR NO.3ROADWAY SEGMENTSegme (12) [Route [8]Route (12) [Route [9]Route (12) [Route [10]Route (12) [	*MIRE NAME (MIRE	NON LOCAL PAVED ROADS - SEGMENT		NON LOCAL PAVED ROADS - INTERSECTION		NON LOCAL PAVED ROADS - RAMPS		LOCAL PAVED ROADS		UNPAVED ROADS	
	NO.)	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE
ROADWAY SEGMENT	Segment Identifier (12) [12]	100	100					100	100	100	100
	Route Number (8) [8]	100	100								
	Route/Street Name (9) [9]	100	100								
	Federal Aid/Route Type (21) [21]	100	100								
	Rural/Urban Designation (20) [20]	100	100					100	100		
	Surface Type (23) [24]	100	100					100	100		
	Begin Point Segment Descriptor (10) [10]	100	100					100	100	100	100
	End Point Segment Descriptor (11) [11]	100	100					100	100	100	100
	Segment Length (13) [13]	100	100								
	Direction of Inventory (18) [18]	100	100								
	Functional Class (19) [19]	100	100					100	100	100	100

ROAD TYPE	*MIRE NAME (MIRE	NON LOCAL PAVE ROADS - SEGMEN	ED IT	NON LOCAL PAVE ROADS - INTERSE	ED ECTION	NON LOCAL PAVE ROADS - RAMPS	ĒD	LOCAL PAVED RC	ADS	STATE         SINATE         International state         International state	i	
	NO.)	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE	
	Median Type (54) [55]	100	100									
	Access Control (22) [23]	100	100									
	One/Two Way Operations (91) [93]	100	100									
	Number of Through Lanes (31) [32]	100	95					100	95			
	Average Annual Daily Traffic (79) [81]	100	98					85	25			
	AADT Year (80) [82]	100	100									
	Type of Governmental Ownership (4) [4]	100	100					100	100	100	100	
INTERSECTION	Unique Junction Identifier (120) [110]			100	100							
INTERSECTION	Location Identifier for Road 1 Crossing Point (122) [112]			100	100							
	Location Identifier for Road 2 Crossing Point (123) [113]			100	100							
	Intersection/Junction Geometry (126) [116]			100	100							
	Intersection/Junction Traffic Control (131) [131]			50	50							
	AADT for Each Intersecting Road (79) [81]			45	45							
	AADT Year (80) [82]			50	25							
	Unique Approach Identifier (139) [129]			100	100							
INTERCHANGE/RAMP	Unique Interchange Identifier (178) [168]					100	100					
	Location Identifier for Roadway at					100	100					

ROAD TYPE	*MIRE NAME (MIRE	NON LOCAL PAVE ROADS - SEGMEN	ED IT	NON LOCAL PAVE ROADS - INTERSE	ED ECTION	NON LOCAL PAVE ROADS - RAMPS	ED	LOCAL PAVED RO	DADS	UNPAVED ROADS	
ROAD TYPE       **         B       T         L       ft         F       []         F       []         F       []         I       []         I	NO.)	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE	STATE	NON-STATE
	Beginning of Ramp Terminal (197) [187]										
	Location Identifier for Roadway at Ending Ramp Terminal (201) [191]					100	100				
	Ramp Length (187) [177]					100	100				
-	Roadway Type at Beginning of Ramp Terminal (195) [185]					100	100				
	Roadway Type at End Ramp Terminal (199) [189]					100	100				
	Interchange Type (182) [172]					100	100				
	Ramp AADT (191) [181]					100	100				
	Year of Ramp AADT (192) [182]					100	100				
(1 F (1 G O	Functional Class (19) [19]					100	100				
	Type of Governmental Ownership (4) [4]					100	100				
Totals (Average Percen	t Complete):	100.00	99.61	80.63	77.50	100.00	100.00	98.33	91.11	100.00	100.00

\*Based on Functional Classification (MIRE 1.0 Element Number) [MIRE 2.0 Element Number]

#### Describe actions the State will take moving forward to meet the requirement to have complete access to the MIRE fundamental data elements on all public roads by September 30, 2026.

• MDOT SHA has implemented Esri's Roads and Highways (R&H) software to manage our GIS roadway and LRS data for HPMS submission. MDOT SHA uses Roads and Highways for their annual HPMS submission. With the Intersection Manager tool, and our ability to better manage intersection data and data gaps, we will be able to be 100 percent compliant by 2026, in most metrics. Having AADT and intersection traffic control devices for local roadways will always be the missing data item, as these are not collected for HPMS outside of sample data.

• In conjunction with the Esri R&H implementation, we maintain the One Maryland, One Centerline (OMOC) program where MDOT SHA is regularly meeting and working with all 23 counties, and Baltimore City, to share data between jurisdictions via one common geometry, maintained by the appropriate authority. We have begun a pilot automated conflation processing tool between MDOT SHA and 1Spatial to test the process and develop the protocols that will be used for the integration of the quarterly county NG911 centerline submission changes. This geometry will be the base of the R&H data model.

• FHWA has authorized several pilots to investigate developing methodologies to more accurately calculate local AADTs for lower functionally classified roadways. MIRE FDEs require this type of data, while the local jurisdictions do not have the wherewithal nor need to completely capture and maintain this type of data. Therefore, the need to develop better proxies or models to better estimate these AADTs for local roads is an ongoing activity.

### **Optional Attachments**

Program Structure:

MDOT SHA HISP\_Version 3.0.docx Project Implementation:

Safety Performance:

Evaluation:

Compliance Assessment:

### Glossary

**5 year rolling average:** means the average of five individuals, consecutive annual points of data (e.g. annual fatality rate).

**Emphasis area:** means a highway safety priority in a State's SHSP, identified through a data-driven, collaborative process.

**Highway safety improvement project:** means strategies, activities and projects on a public road that are consistent with a State strategic highway safety plan and corrects or improves a hazardous road location or feature or addresses a highway safety problem.

HMVMT: means hundred million vehicle miles traveled.

**Non-infrastructure projects:** are projects that do not result in construction. Examples of non-infrastructure projects include road safety audits, transportation safety planning activities, improvements in the collection and analysis of data, education and outreach, and enforcement activities.

**Older driver special rule:** applies if traffic fatalities and serious injuries per capita for drivers and pedestrians over the age of 65 in a State increases during the most recent 2-year period for which data are available, as defined in the Older Driver and Pedestrian Special Rule Interim Guidance dated February 13, 2013.

**Performance measure:** means indicators that enable decision-makers and other stakeholders to monitor changes in system condition and performance against established visions, goals, and objectives.

**Programmed funds:** mean those funds that have been programmed in the Statewide Transportation Improvement Program (STIP) to be expended on highway safety improvement projects.

**Roadway Functional Classification:** means the process by which streets and highways are grouped into classes, or systems, according to the character of service they are intended to provide.

**Strategic Highway Safety Plan (SHSP):** means a comprehensive, multi-disciplinary plan, based on safety data developed by a State Department of Transportation in accordance with 23 U.S.C. 148.

**Systematic:** refers to an approach where an agency deploys countermeasures at all locations across a system.

**Systemic safety improvement:** means an improvement that is widely implemented based on high risk roadway features that are correlated with specific severe crash types.

**Transfer:** means, in accordance with provisions of 23 U.S.C. 126, a State may transfer from an apportionment under section 104(b) not to exceed 50 percent of the amount apportioned for the fiscal year to any other apportionment of the State under that section.