


ACS Lite


Publication No.: FHWA-HRT-06-083

January 2006



The original format of this document was an active HTML page(s). The Federal Highway Administration converted the HTML page(s) into an Adobe® Acrobat® PDF file to preserve and support reuse of the information it contained.

The intellectual content of this PDF is an authentic capture of the original HTML file. Hyperlinks and other functions of the HTML webpage may have been lost, and this version of the content may not fully work with screen reading software.



A significant portion of traffic delays in metropolitan areas are caused by poor traffic signal timing. ACS Lite, a reduced-scale version of the Federal Highway Administration's (FHWA) Adaptive Control Software (ACS), offers small and medium-size communities a low-cost traffic control system that operates in real time, adjusting signal timing to accommodate changing traffic patterns and ease traffic congestion. ACS Lite can be used with new signals or to retrofit existing traffic signals. It is designed for closed-loop systems, providing cycle-by-cycle control.

ACS Lite was developed by FHWA, in partnership with Siemens, Purdue University, and the University of Arizona.

How Does It Work?

The ACS Lite software continuously monitors traffic signals and the flow of traffic, and adjusts signal timing accordingly. These adjustments can be made on a user-specified time frame. ACS Lite can be used in closed-loop systems, with no need for a central computer system, since the software resides on a field-hardened CPU and is located at a local traffic signal controller cabinet. The software can be deployed using as few as two traffic detectors on a roadway. Once deployed, the system is ready to go and does not require periodic calibration.

Benefits

The benefits of using ACS Lite include:

- Helps ease traffic congestion.
- Widely deployable.
- Low cost design.
- Works with closed-loop systems.
- Operates in real time.
- Does not require calibration.

Real-World Use

ACS Lite has been demonstrated in Gahanna, Ohio; Houston, Texas; and Bradenton, Florida. The last field test is planned for El Cajon, California. All of the test sites showed improvement in traffic flow.



How Can I Obtain ACS Lite?

ACS Lite is available from the following vendors: Eagle, Econolite, McCain, Peek, and Siemens. The software was designed to work with these brands of traffic signal systems. A locality currently using a Peek system should contact Peek, for example, while one using Eagle should contact Eagle, and so forth. For contact information, see list at the end of this brochure.

Contacts

For more information about ACS Lite, contact **Raj Ghaman**, Travel Management Team Leader in FHWA's Office of Operations Research & Development, 202-493-3270 (e-mail: raj.ghaman@dot.gov).

To obtain a copy of ACS Lite, contact one of the following vendors:

Eagle

Mark Hudgins, 512-837-8429 (e-mail: mark.hudgins@itssiemens.com)

Econolite

Gary Duncan, 714-630-3700 (e-mail: gduncan@econolite.com)

McCain

Steve Brown, 760-784-8582 (e-mail: sbrown@mccaintraffic.com)



Peek

Peter Ragsdale, 562-923-9600, ext. 177 (e-mail: pragsdale@quixotecorp.com)

Siemens

Steve Shelby, 520-290-8006, ext. 115 (e-mail: steve.shelby@itssiemens.com)

Additional Contacts:

Purdue University

Darcy Bullock, 765-494-2226 (e-mail: darcy@purdue.edu)

University of Arizona

Larry Head, 520-621-2264 (e-mail: Larry@sie.arizona.edu)

Notice

This document is disseminated under the sponsorship of the U.S. Department of Transportation in the interest of information exchange. The U.S. Government assumes no liability for the use of the information contained in this document.

The U.S. Government does not endorse products or manufacturers. Trademarks or manufacturers' names appear in this brochure only because they are considered essential to the objective of the document.