HIGHWAY SAFETY INFORMATION SYSTEM GUIDEBOOK FOR THE

CITY OF CHARLOTTE DATA FILES

Prepared by R.J. Porter Ian Hamilton Catherine Chestnutt Kristin Kersavage Tal Cohen

VHB 940 Main Campus Drive Suite 500 Raleigh, NC 27606

Prepared for

Federal Highway Administration Office of Safety and Office of Safety Research & Development U.S. Department of Transportation Washington, DC 20590

Revised, July 2022

Table of Contents

Introduction to the Charlotte HSIS Guidebook
What Has Changed3
Roadway File (2018 – 2020)5
Crash File (2018 – 2020)
Unit File (2018 – 2020)
Person File (2018 – 2020)
Intersection File (2018 – 2020)
Bicycle Lane File (2018 – 2020)
Sidewalk File (2018 – 2020)
Greenway File (2018 – 2020)
Bus Route File (2018 – 2020)
Bus Stop File (2018 – 2020)
Light Rail Route File (2018 — 2020)
Light Rail Stop File (2018 – 2020)
Railroad Line Inventory (2020)
Using the Files Together
Requesting HSIS Data
Available Data10
Roadway File
Crash File
Unit File
Person File
Intersection File
Bicycle Lane File
Sidewalk File
Greenway File
Bus Route File
Bus Stop File
Light Rail Route File54
Light Rail Stop File
Railroad File
Appendix A: History of Revisions

Introduction to the Charlotte HSIS Guidebook

The Highway Safety Information System (HSIS), established in 1987, is a foundational highway research data system. The City of Charlotte has participated in the HSIS program since 2004, providing quality data to HSIS for use by researchers through a request system. In 2021, HSIS began a modernization effort with the goal of expanding the technological and analytic capabilities of the data system. This modernization provides an increased emphasis on spatial analysis and cloud-based data management.

What Has Changed

This guidebook is intended to support the use of Charlotte HSIS data for the years 2018 and beyond. Data and documentation prior to 2018 (2004-2017) are available upon request to the <u>HSIS Virtual Laboratory</u>. Prior to 2018, the Charlotte datasets included variables for the following files:

- 1. Roadway inventory.
- 2. Accident characteristics.
- 3. Vehicles involved in crashes.
- 4. Vehicle occupants involved in crashes.


The revised Charlotte database incorporated into HSIS contains 13 different files:

- 1. Roadway inventory (including traffic information).
- 2. Crash characteristics.
- 3. Units involved in crashes.
- 4. Persons involved in the crash.
- 5. Bicycle lane inventory.
- 6. Sidewalk inventory
- 7. Bus route inventory.
- 8. Bus stop inventory.
- 9. Light rail route inventory.
- 10. Light rail stop inventory.
- 11. Greenway inventory.
- 12. Intersection inventory.
- 13. Railroad line inventory.

<u>Appendix A</u> summarizes revisions the <u>HSIS Laboratory</u> made to the variables. In addition to the expanded list of files, there are several key differences between the Charlotte HSIS data prior to 2018.

Changes in File Names

Previously, HSIS data included accident, vehicle, and occupant files to describe crashes, the vehicles involved in those crashes, and the occupants of those vehicles. Due to changes in reported data, HSIS now uses the nomenclature, of Crash, Unit, and Person files to represent these characteristics. Figure 1 illustrates the connection between the previous file naming convention (2004-2017) and the current file naming convention (2018- 2020).





Changes in Variable Names

Previous versions of HSIS guidebooks referred to *SAS Name* as the shorthand for the more descriptive names in the HSIS documentation. With the modernization effort and increased emphasis on flexibility, this is now referred to as the *Variable Name*. Furthermore, the descriptive names of variables may have changed in this guidebook compared to previous versions. This may reflect changes in the data or definition of the variable to match updates to Charlotte's data documentation. Please consult the <u>HSIS Virtual Laboratory</u> for information on changes to the data over time.

Changes in Available Variables

This guidebook reflects the latest high-quality data available to HSIS and the research community. Variables that were available in previous years and documented in past guidebooks may no longer be available or otherwise discontinued. This guidebook represents data that are available to requestors for the years 2018 to 2020. Please consult past guidebooks or the <u>HSIS Virtual Laboratory</u> for information regarding previously available data.

Changes in Variable Linkages

HSIS data are stored in a geographic information systems (GIS) compatible format. Researchers can request data from HSIS in various additional formats such as SAS, Microsoft Excel® and Access®, dBase, ASCII, etc. to meet their analytical and resource capabilities. Figure 2 provides an overview of the structure and relationships linking the 13 files. The following sections provide a brief summary of each file.




Figure 2. Charlotte HSIS Data Files and Linking Variables.

Roadway File (2018 – 2020)

This file contains information about the physical layout of all public roads in Mecklenburg County, North Carolina, as well as the traffic characteristics associated with "on-system" roads (i.e., State maintained). The file includes variables that describe the number of lanes, median presence, posted speed limit, and other variables. This file also contains information on traffic volumes represented as annual average daily traffic (AADT).

Unlike the North Carolina State file, there is no tabular link between the Roadway File and Crash File. Users may link crashes, roads, and other supporting files through spatial analysis using GIS software. If users do not have access to this software, the <u>HSIS Virtual Laboratory</u> can assist with file linkages.

Crash File (2018 – 2020)

Crash data are contained in three separate files. The Crash file contains basic information on the crash. Related information on the vehicles and people involved in each crash are contained in the corresponding Unit File and Person File. Specifically, the Crash File contains information relating to crash-level characteristics and conditions at the time of the crash.

The Crash File can be linked to Unit and Person file using the crash report number (*Crash ID*). Crash data are collected statewide by all police departments in North Carolina on a standard form as prescribed by State law. The prescribed accident-reporting threshold is currently personal injury or \$1,000 property damage (prior to 1996, the crash-reporting threshold was \$500).

Unit File (2018 – 2020)

This file provides information on the vehicles or units involved in crashes on roads in the City of Charlotte. Note, this only includes motor vehicles that represent an involved party in a crash. The Unit file can be linked to the Person file through the combination of the *Crash ID* and *Unit Number* variables.

Person File (2018 – 2020)

This file includes information on all persons involved in a crash, whether injured or not. This file includes standard variables related to seating positions in a vehicle, sex, race, and injury. The injury variable in North Carolina uses the KABCO system, which provides police estimates of injury level. North Carolina adopted the standard "Suspected Serious Injury" definition in September 2016 leading to a change in how serious injuries are reported and counted (and the resulting statistics) on public roads in the State after adoption.

Intersection File (2018 – 2020)

This file provides a spatial inventory of intersections of two or more public roads. This includes the traffic control present at the intersection.

Bicycle Lane File (2018 – 2020)

This file provides a spatial inventory of on-road bicycle facilities in the City of Charlotte.

Sidewalk File (2018 – 2020)

This file provides a spatial inventory of sidewalks in the City of Charlotte.

Greenway File (2018 – 2020)

This file provides a spatial inventory of off-road and road adjacent greenways in Mecklenburg County. These facilities accommodate bicyclists, pedestrians, and other non-motorized users.

Bus Route File (2018 – 2020)

This file provides a spatial inventory of bus routes (local, neighborhood, and express service) operated by the Charlotte Area Transit System (CATS). Routes are associated with individual stops through the *Route Number*.

Bus Stop File (2018 – 2020)

This file provides a spatial inventory of bus stops operated by CATS. Each location represents the physical location of the stop, and an individual stop may service more than one bus route.

Light Rail Route File (2018 – 2020)

This file provides a spatial inventory of the light rail routes operated by CATS. The "Lynx" system, the name conferred upon the City's light rail system, opened with the Blue Line in 2007. The City opened an extension to the Blue Line in 2018. The Gold Line streetcar opened Phase One in 2015 and Phase 2 in 2021.

Light Rail Stop File (2018 – 2020)

This file provides a spatial inventory of the light rail stops operated by CATS. This includes stops associated with the original Blue Line, Blue Line extension, and Gold Line Phases 1 and 2.

Railroad Line Inventory (2020)

This file provides a spatial inventory of freight railroad tracks within Mecklenburg County.

Using the Files Together

Figure 1 highlighted the linkages between each of the 13 Charlotte files. Researchers can use these files together to understand the circumstances, location, and vehicles and individuals involved in a crash. HSIS data can be linked and aggregated using either spatial or tabular¹ relationships. HSIS data follow four different formats; each variable in this guidebook notes the specific format of that variable.

Numeric: Numeric values absent of alphabetical or special characters. These can include decimals or whole numbers.

Coded: Alphanumerical values that represent fixed value entries; this guidebook is a data dictionary for coded values.

Text: Free-form, plain text values that are not represented by coded abbreviations or other shorthand values (e.g., US 17 BUS (ROAD ST.) & CHURCH ST).

Date: Values representing date and time; specific formatting is noted in the relevant variable description.

When using the files together, users should note that there are variables of the same name in two different files in some cases. For some of these variables, this is by design so that the files can be linked together. Examples of this include *Crash ID* and *Unit Number*. *Crash ID* links the Crash file, Unit file, and Person file. *Unit Number* is used to link the Unit file and Person file.

Requesting HSIS Data

Researchers can reference this guidebook to determine variables of interest for their particular research question. This section provides a tutorial example research question to demonstrate how the variables can be requested and how the variables can be linked across the files.

A graduate student is interested in exploring intersection-related crashes adjacent to transit in Charlotte. Specifically, they are interested in pedestrian crashes at different types of intersections and under different road and traffic conditions. This is part one of their study. The graduate student anticipates that they will undertake a part two for the study where they may spatially combine the HSIS data with county-level socio-economic data to explore neighborhood characteristics adjacent to transit.

The <u>HSIS Laboratory</u> will work with the student to structure a data request that includes variables that will provide insight into the student's request questions, variables to link the

¹ Crash, Unit, and Person files can be linked tabularly in original format; all other files may be linked upon request.

relevant files together, and flexibility to add external data in part two of the study. The following is the structure of their request:

Roadway Variables

- Whole Street Name.
- Roadway Class.
- Number of Lanes.
- Median Present.
- Speed Limit.
- AADT.

Intersection Variables

- Traffic Control Type.
- Latitude (necessary for linking the intersections to other files in GIS).
- Longitude (necessary for linking the intersections to other files in GIS).

Crash Variables

- Crash ID Number (linkable to the Crash ID variable in the Unit file).
- Crash Date.
- Crash Severity.
- Crash Type.
- Lighting Condition.
- Narrative.
- Road Alignment.

Bus Stop Variables

- Stop ID.
- Latitude.
- Longitude.
- Routes.

Bus Route Variables

- Route Number.
- Route Name.
- Route Type.

Light Rail Stop Variables

- Stop Name.
- Latitude.
- Longitude.
- Station Type.

Unit Variables

- Crash ID (linkable to the Crash ID variable in the Crash file).
- Unit Number (linkable to the Unit Number variable in the Person file).
- Harmful Event.
 - Requester would only request crashes that included "Pedestrians."

Person Variables

- Crash ID (linkable to the Case Number variable in the Crash file).
- Unit Number (linkable to the Unit Number variable in the Unit file).
- Person Age.
- Person Number.
- Injury Severity.

A few things to note about their request:

- There are also variables in the student's request that record similar information. For example, the Crash file includes a variable, *Traffic Control Type* that may seem redundant with the Intersection file variable that defined the request as only crashes at signalized intersections. However, these data represent different sources, such as the officer reporting the crash at the scene in the case of the Crash file, and internal NCDOT records in the case of the Intersection file. The student could request both variables to confirm that the signal was operating as a signal at the time of the crash. For example, the signal may have been under human control or in flashing operation during a power outage or similar; the Crash file contains this information in the *Traffic Control Type* variable.
- When merging the files, the student should note that the Crash, Unit, Person, and Roadway files contain different numbers of observations or rows. The Crash file contains one observation per crash (e.g., a unique case number on each row), while the Unit file contains an observation for each vehicle involved in the crash. If more than one vehicle is involved in a crash, there will be more than one row associated with the same *Crash ID*. Additionally, the Roadway file contains an observation or row for each road segment. Some segments may have multiple crashes associated with it while others may not have any.

Available Data

Table 1 provides a summary of all variables currently available in HSIS for the 13 files. Attributes and fields have evolved since the introduction of the City of Charlotte into the HSIS

data system, and users should carefully consider these changes during the data collection research process.

VARIABLE NAME	VARIABLE DESCRIPTION	DATA FILE
AADT	ANNUAL AVERAGE DAILY TRAFFIC	Roadway
BARRIER	BARRIER	Roadway
DIVIDED	DIVIDED	Roadway
LL_ADD	LOWER LEFT ADDRESS	Roadway
LR_ADD	LOWER RIGHT ADDRESS	Roadway
MEDIAN	MEDIAN	Roadway
NUMBEROFLA	NUMBER OF LANES	Roadway
ONEWAY	ONEWAY	Roadway
PAVEMENTWI	PAVEMENT WIDTH	Roadway
RODWYCLS	ROADWAY CLASS	Roadway
ROADTYPE	ROAD TYPE	Roadway
LENGTH	SEGMENT LENGTH	Roadway
SPEEDHUMP	SPEED HUMP	Roadway
SPEEDLIMIT	SPEED LIMIT	Roadway
STANDTYPE	STAND TYPE	Roadway
STREETCLAS	STREET CLASSIFICATION	Roadway
STREETNAME	STREET NAME	Roadway
STREETTYPE	STREET TYPE	Roadway
SUFFIX	SUFFIX DIRECTION	Roadway
THOROUGHFA	THOROUGH FARE	Roadway
UL_ADD	UPPER LEFT ADDRESS	Roadway
UR_ADD	UPPER RIGHT ADDRESS	Roadway
WHOLESTNAME	WHOLE STREET NAME	Roadway
ALIGN	ALIGNMENT	Crash
CASE_NUM	CASE NUMBER	Crash
CNST_ACT	CONSTRUCTION ACTIVITY	Crash
CNST_TYPE	CONSTRUCTION TYPE	Crash
CRSH_ID	CRASHID	Crash
CRSH_LEVL	CRASH SEVERITY	Crash
MILT_TIME	CRASH TIME	Crash
CRASH_TYPE	CRASH TYPE	Crash
DATE_VAL	DATE OF CRASH	Crash
DATE_VAL_D	DAY OF THE CRASH	Crash

Table 1. Summary of City of Charlotte HSIS Variables by Data File.

HSIS Guidebook – CLT

VARIABLE NAME	VARIABLE DESCRIPTION	DATA FILE
DATE_VAL_W	DAY OF WEEK	Crash
LATITUDE	LATITUDE	Crash
LIT	LIGHT CONDITION	Crash
LONGITUDE	LONGITUDE	Crash
DATE_VAL_M	MONTH OF CRASH	Crash
NARRATIVE	NARRATIVE	Crash
NUM_FATL	NUMBER OF FATALITIES	Crash
NUM_INJY	NUMBER OF INJURIES	Crash
NUM_LNS	NUMBER OF LANES	Crash
NUM_INJY_C	NUMBER OF POSSIBLE INJURIES	Crash
NUM_INJY_B	NUMBER OF SUSPECTED MINOR INJURIES	Crash
NUM_INJY_A	NUMBER OF SUSPECTED SERIOUS INJURIES	Crash
PRIMARY	PRIMARY CAUSE	Crash
RD_RLTN	RELATION TO ROADWAY	Crash
RD_COND	ROAD CONDITION	Crash
RD_SURF	ROAD SURFACE	Crash
RDWY_AREA	ROADWAY AREA	Crash
SECONDARY	SECONDARY CAUSE	Crash
TRFC_CTRL	TRAFFIC CONTROL	Crash
URBAN_RU	URBAN RURAL DESCRIPTION	Crash
WTHR	WEATHER	Crash
DATE_VAL_Y	YEAR OF CRASH	Crash
CONTRIB_FACTOR1	CONTRIBUTING FACTOR1	Unit
CONTRIB_FACTOR2	CONTRIBUTING FACTOR2	Unit
CONTRIB_FACTOR3	CONTRIBUTING FACTOR ₃	Unit
CRSH_ID	CRASHID	Unit
HARM_EVNT1	HARMFUL EVENT1	Unit
HARM_EVNT2	HARMFUL EVENT2	Unit
HARM_EVNT ₃	HARMFUL EVENT ₃	Unit
HARM_EVNT4	HARMFUL EVENT4	Unit
HARM_EVNT5	HARMFUL EVENT5	Unit
PRR_ACTN	PRIMARY ACTION	Unit
SPD_LIMT	SPEED LIMIT	Unit
UNIT_NUM	UNIT NUMBER	Unit
UNIT_TYPE	UNIT TYPE	Unit
VEHC_TYPE	VEHICLE TYPE	Unit
CRSH_ID	CRASHID	Person

VARIABLE NAME	VARIABLE DESCRIPTION	DATA FILE
HZRD_ACTN	CONTRIBUTING ACTION	Person
RSTR_USE	DRIVER OR OCCUPANT RESTRAINT	Person
PRTY_EJCT	EJECTION INDICATOR	Person
INJY_SVTY	INJURY SEVERITY	Person
PRTY_TYPE_DESC	PARTY TYPE DESCRIPTION	Person
PRTY_AGE	PERSON AGE	Person
GNDR_DESC	PERSON SEX	Person
POS	POSITION	Person
UNIT_NUM	UNIT NUMBER	Person
CONTROLTYP	INTERSECTION NODE TYPE	Intersection
INTERSECTI	INTERSECTION NUMBER	Intersection
LAT	LATITUDE	Intersection
LON	LONGITUDE	Intersection
STREETS	STREETS AT INTERSECTION	Intersection
STUNITID1	STREET UNIT ID 1	Intersection
STUNITID ₂	STREET UNIT ID 2	Intersection
STUNITID ₃	STREET UNIT ID 3	Intersection
XCOORD	X COORDINATE	Intersection
YCOORD	Y COORDINATE	Intersection
BIKE_LANES	BIKE LANES	Bicycle Lane
LANE_NOTES	LANE NOTES	Bicycle Lane
LENGT_MILE	LENGTH OF BIKE LANE	Bicycle Lane
SIDEOFSTRE	SIDE OF THE STREET	Bicycle Lane
WHOLESTNAM	STREET NAME	Bicycle Lane
TOTALWIDTH	TOTAL WIDTH	Bicycle Lane
YEAR_BUILT	YEAR BUILT	Bicycle Lane
ASSETID	ASSET ID	Sidewalk
BEG_DESC	BEGINNING OF SIDEWALK DESCRIPTION	Sidewalk
COMMENTS	COMMENTS ON THE SIDEWALK	Sidewalk
END_DESC	END OF SIDEWALK DESCRIPTION	Sidewalk
ASSETDESC	LOCATION DESCRIPTION	Sidewalk
LOCATION	LOCATION OF THE SIDEWALK	Sidewalk
STREET	STREET	Sidewalk
WIDTH	WIDTH OF SIDEWALK	Sidewalk
COMPLETION	DATE OF COMPLETION	Greenway
MILES	LENGTH	Greenway
MEMO	LOCATION	Greenway

VARIABLE NAME	VARIABLE DESCRIPTION	DATA FILE
TRAIL_NAME	TRAIL NAME	Greenway
TRAIL_SURF	TRAIL SURFACE	Greenway
TRAIL_TYPE	TYPE OF TRAIL	Greenway
ROUTE_NAME	ROUTE NAME	Bus Route
ROUTE_NUM	ROUTE NUMBER	Bus Route
ROUTE_TYPE	ROUTE TYPE	Bus Route
DIRECTION	DIRECTION	Bus Stop
Y	LATITUDE	Bus Stop
POLE_LOCAT	LOCATION OF THE POLE	Bus Stop
Х	LONGITUDE	Bus Stop
NEAREST_IN	NEAREST INTERSECTION	Bus Stop
BENCH	PRESENCE OF BENCH	Bus Stop
SHELTER	PRESENCE OF SHELTER	Bus Stop
ROUTES	ROUTES	Bus Stop
SIDEWALK	SIDEWALK	Bus Stop
STOPDESC	STOP DESCRIPTION	Bus Stop
STOPID	STOP ID	Bus Stop
TRANS_P	TRANSFER POINT	Bus Stop
TRASHCANS	TRASHCANS	Bus Stop
LENGTH	LENGTH	Light Rail Route
PROJECT_DE	PROJECT DESCRIPTION	Light Rail Route
TRACKDESCR	TRACK NAME	Light Rail Route
ADDRESS	ADDRESS OF THE LIGHT RAIL STATION	Light Rail Stop
BIKELOCKER	BIKE LOCKER AVAILABILITY	Light Rail Stop
BIKERACK	BIKE RACK AVAILABILITY	Light Rail Stop
Х	GEOGRAPHIC LOCATION X COORDINATE	Light Rail Stop
Υ	GEORGRAPHIC LOCATION Y COORDINATE	Light Rail Stop
STATIONTYP	LIGHT RAIL LINE	Light Rail Stop
PLATFORM	LOCATION OF THE PLATFORM	Light Rail Stop
NAME	NAME OF THE LIGHT RAIL STATION	Light Rail Stop
PARKSPACES	NUMBER OF PARKING SPACES	Light Rail Stop
PARKNRIDE	PARK AND RIDE AVAILABILITY	Light Rail Stop
ZIPCODE	ZIP CODE OF THE LIGHT RAIL STATION	Light Rail Stop
CONNECTY	CONNECTION TYPE	Railroad Line
INSERVICE	IN SERVICE	Railroad Line
OPERATOR	OPERATING ORGANIZATION	Railroad Line
NAME	OPERATING ORGANIZATION – FULL NAME	Railroad Line

VARIABLE NAME	VARIABLE DESCRIPTION	DATA FILE
OUTSERVICE	OUT SERVICE	Railroad Line
OWNER	OWNERSHIP ORGANIZATION	Railroad Line
OWNERLONG	OWNERSHIP ORGANIZATION – FULL NAME	Railroad Line
HSR	PRESENCE OF HIGH SPEED RAIL	Railroad Line
PASSSERVIC	PRESENCE OF PASSENGER SERVICE	Railroad Line
TRACKTYPE	TYPE OF TRACK	Railroad Line

Annual Average Daily Traffic

Definition: Annual Average Daily Traffic.

Field Type: Numeric.

Barrier

Definition: Barrier.

Field Type: Coded.

'0' 'No barrier'

'1' 'Barrier'

Divided

Definition: Indicator that road is divided into two separate directions of travel. This may include couplets separated by planters and vegetation. It is not necessarily synonymous with 'MEDIAN' variable.

Field Type: Coded.

'0' 'Undivided' '1' 'Divided'

Lower Left Address

Definition: Lower address on left side of road.

Field Type: Numeric.

Lower Right Address

Definition: Lower address on right side of road.

Field Type: Numeric.

Variable Name: DIVIDED

Variable Name: BARRIER

Variable Name: LL_ADD

Variable Name: LR_ADD

Median

Variable Name: MEDIAN

Definition: Indicator variable of median present between opposing directions of travel.

Field Type: Coded.

'1' 'Median'

Number of Lanes

Variable Name: NUMBEROFLA

Definition: Number of through travel lanes.

Field Type: Numeric.

Oneway

Variable Name: ONEWAY

Definition: Whether or not this section of road carries traffic in both or only one direction.

Field Type: Coded.

'0'	'Two-way'
'1'	'One-way toward uptown'
'2'	'One-way away from uptown'

Pavement Width

Definition: Pavement width.

Field Type: Numeric.

Roadway Class*

Definition: Roadway Class. This variable is developed by the <u>HSIS Laboratory</u> for the purposes of readily classifying roadway data. This variable is a combination of the *Number of Lanes, Rural Urban Identification, Median Type*, and *Functional Class* variables.

Field Type: Text.

Variable Name: RODWYCLS

Variable Name: PAVEMENTWI

^{*} Variable created by HSIS Lab

Values:

Urban Freeways Urban Freeways Less than 4 Lanes Urban 2 Lane Roads Urban Multilane Divided Non-Freeway Urban Multilane Undivided Non-Freeway Rural Freeways Rural Freeways Less than 4 Lanes Rural 2-Lane Roads Rural Multilane Divided Non-Freeway Rural Multilane Undivided Non-Freeway Others

Road Type

Variable Name: ROADTYPE

Definition: Road type.

Field Type: Coded.

' 1'	'Road'
'2'	'Named Driveway (e.g., shopping center)'

Segment Length

Definition: Segment length (feet).

Field Type: Numeric.

Speed Hump

Definition: Speedhump present.

Field Type: Coded.

- '0' 'No speed hump present'
- '1' 'Speed hump present'

Variable Name: LENGTH

Variable Name: SPEEDHUMP

Speed Limit

Variable Name: SPEEDLIMIT

Definition: Posted speed limit.

Field Type: Coded.

'10'	'10 Mph'
'15'	'15 Mph'
'20'	'20 Mph'
'25'	'25 Mph'
'30'	'30 Mph'
'35'	'35 Mph'
'40'	'40 Mph'
'45'	'45 Mph'
'50'	'50 Mph'
'55'	'55 Mph'
'60'	'60 Mph'
'65'	'65 Mph'
'70'	'70 Mph'

Stand Type

Definition: Road type.

Field Type: Coded.

'ALY'	'Alley'
'AVE'	'Avenue'
'BLVD'	'Boulevard'
'BYWY'	'Byway'
'CIR'	'Circle'
'CT'	'Court'
'CV'	Cove'
'DR'	'Drive'
'FWY'	'Freeway'
'HWY'	'Highway'
'LN'	'Lane'
'LOOP'	'Loop'
'PKWY'	'Parkway'
'PL'	'Place'

HSIS Guidebook – CLT

Variable Name: STANDTYPE

Roadway File		
'RAMP'	'Ramp'	
'RD'	'Road'	
'ROW'	'Row'	
'RUN'	'Run'	
'ST'	'Street'	
'TER'	'Terrace'	
'TRCE'	'Trace'	
'TRL'	'Trail'	
'WAY'	'Way'	

Street Classification

Variable Name: STREETCLAS

Definition: Public or private street classification.

Field Type: Coded.

'PUB''Public''PVT''Private'

Street Name

Variable Name: STREETNAME

Definition: Street name.

Field Type: Text.

Street Type

Variable Name: STREETTYPE

Definition: Type of street.

Field Type: Coded.

'AL'	'Alley'
'AV'	'Avenue'
'BV'	'Boulevard'
'BY'	'Byway'
'CR'	'Circle'
'CS'	'Crescent'
'CT'	'Court'
'CV'	Cove'
'DR'	'Drive'

Roadway File		
'FR'	'Freeway'	
'HY'	'Highway'	
'LN'	'Lane'	
'LP'	'Loop'	
'PL'	'Place'	
'PY'	'Parkway'	
'RA'	'Ramp'	
'RD'	'Road'	
'RN'	'Run'	
'RW'	'Row'	
'ST'	'Street'	
'TC'	'Trace'	
'TL'	'Trail'	
'TR'	'Terrace'	
'WY'	'Way'	

Suffix Direction

Definition: Street suffix direction.

Field Type: Coded.

'E'	'East'
'EXT'	'Extension'
'N'	'North'
'NB'	'Northbound'
'S'	'South'
'SB'	'Southbound'
'W'	'West'

Thorough Fare

Definition: Thoroughfare classification.

Field Type: Coded.

'C2EX'	'Class 2 Expressway – Access Controlled but Right In/Right Out Driveways		
	Allowed'		
'EXCOLLMJ'	'Existing Major Collector'		

HSIS Guidebook – CLT

Variable Name: SUFFIX

Variable Name: THOROUGHFA

'EXCOLLMN'	'Existing Minor Collector'
'EXFRY'	'Existing Freeway'
'EXMINTH'	'Existing Minor Thoroughfare'
'EXMJTH'	'Existing Major Thoroughfare'
'EXMJTHC3C'	'Class 3 Commercial Arterial'
'LOCAL'	'Local'
'PROPFRY'	'Proposed Freeway'
'PROPMINTH'	'Proposed Minor Thoroughfare'
'PROPMJTH'	'Proposed Major Thoroughfare'

Upper Left Address

Definition: Upper address on the left side of road.

Field Type: Numeric.

Upper Right Address

Definition: Upper address on right side of road.

Field Type: Numeric.

Whole Street Name

Definition: Full text street name with street type (e.g., 'Bridges Farm Rd').

Field Type: Text.

Variable Name: UL_ADD

Variable Name: UR_ADD

Variable Name: WHOLESTNAM

Alignment

Definition: Alignment of the road at the location of the crash (e.g., 'Straight, level').

Field Type: Text.

Case Number

Definition: A unique number assigned to the Crash Report by NC DMV. However, 'Crash ID' should be used to link files in the Charlotte dataset.

Field Type: Numeric.

Construction Activity

Definition: Construction activity (e.g., 'Ongoing').

Field Type: Text.

Construction Type

Definition: Construction type (e.g., 'Maintenance work area').

Field Type: Text.

Crash ID

Definition: Unique crash ID that is used to link crash, person, and unit variables across tables.

Field Type: Numeric.

Crash Severity

Definition: Highest injury severity level of any participant in the crash.

Field Type: Coded.

`1′

`2′

K Killed A Type Injury (Suspected Serious)

HSIS Guidebook – CLT

Variable Name: CNST_ACT

Variable Name: CASE_NUM

Variable Name: CNST_TYPE

Variable Name: CRSH_ID

Variable Name: CRSH_LEVL

Variable Name: ALIGN

`3′ `4′ `5′	B Type Injury (Suspected M C Type Injury (Possible) O No Injury	inor)	
Crash Ti	me	Variable Name: MILT_TIME	
<i>Definition</i> : Time of the crash according to a 24-hr clock (e.g., 1712 for 5:12 pm).			
<i>Field Type:</i> Numeric.			
Crash Type		Variable Name: CRASH_TYPE	
Definition: 1	Type of crash; reflects the most har	rmful event (e.g., Angle).	
Field Type:	Text.		
Date of	Crash	Variable Name: DATE_VAL	
Definition · [Date of crash (MM/DD/YYYY)		

Definition: Date of crash (MM/DD/YYYY).

Field Type: Date.

Crash File

Day of the Crash

Definition: Day of the month of the crash.

Field Type: Numeric.

Day of Week

Definition: Day of week (e.g., 'Tuesday').

Field Type: Text.

Latitude

Definition: Latitude of crash.

Field Type: Numeric.

HSIS Guidebook – CLT

Variable Name: DATE_VAL_D

Variable Name: DATE_VAL_W

Variable Name: LATITUDE

Light Condition

Definition: Light condition when crash occurred (e.g., 'Dawn').

Field Type: Text.

Longitude

Definition: Longitude of crash.

Field Type: Numeric.

Month of Crash

Definition: Month of crash (e.g., 'May').

Field Type: Text.

Narrative

Definition: Text narrative description of the crash.

Field Type: Text.

Number of Fatalities

Definition: Number of fatalities.

Field Type: Numeric.

Number of Injuries

Definition: Total number of non-fatal injuries.

Field Type: Numeric.

Number of Lanes

Definition: Number of lanes as reported by the officer in the crash report.

Variable Name: LIT

Variable Name: LONGITUDE

Variable Name: DATE_VAL_M

Variable Name: NARRATIVE

Variable Name: NUM_FATL

Variable Name: NUM_INJY

Variable Name: NUM_LNS

Field Type: Numeric.

Number of Possible Injuries

Definition: Total number of 'C' injuries; refers to possible injury.

Field Type: Numeric.

Number of Suspected Minor Injuries

Definition: Total number of 'B' injuries; refers to suspected minor injury.

Field Type: Numeric.

Number of Suspected Serious Injuries

Definition: Total number of 'A' injuries; refers to suspected serious injury.

Field Type: Numeric.

Primary Cause

Definition: Primary cause of the crash (e.g., 'Inattention').

Field Type: Text.

Relation to Roadway

Definition: Type of roadway facility where crash occurred (e.g., 'T-Intersection').

Field Type: Text.

Road Condition

Definition: Road condition at time of the crash (e.g., 'Wet').

Field Type: Text.

Variable Name: RD COND

Variable Name: RD_RLTN

Variable Name: PRIMARY

Variable Name: NUM_INJY_B

Variable Name: NUM _INJY_C

us injury.

Variable Name: NUM_INJY_A

Road Surface

Definition: Road surface type at the location of the crash (e.g., 'Coarse asphalt').

Field Type: Text.

Roadway Area

Definition: Roadway configuration and direction of traffic (e.g., 'Two-way, not divided').

Field Type: Text.

Secondary Cause

Definition: Secondary cause of the crash (if applicable; e.g., 'Debris').

Field Type: Text.

Traffic Control

Definition: Traffic control device present at the crash location (e.g., 'Stop and go signal').

Field Type: Text.

Urban Rural Description

Definition: Degree of urban development at crash location as determined by the reporting officer (e.g., 'Rural (<30% developed)').

Field Type: Text.

Weather

Definition: Weather conditions when the crash occurred (e.g., 'Clear').

Field Type: Text.

Year of Crash

Variable Name: DATE VAL Y

Definition: Year of crash.

HSIS Guidebook – CLT

Variable Name: RDWY_AREA

Variable Name: SECONDARY

Variable Name: TRFC_CTRL

Variable Name: URBAN RU

Variable Name: WTHR

29

Variable Name: RD SURF

Field Type: Numeric.

Unit File

Unit File

Crash ID

Variable Name: CRSH_ID

Definition: Crash ID that is used to link crash, person, and unit variables across tables.

Field Type: Numeric.

Contributing Factor1 Contributing Factor2 Contributing Factor3

Variable Name: CONTRIB_FACTOR1 Variable Name: CONTRIB_FACTOR2 Variable Name: CONTRIB_FACTOR3

Definition: Contributing factor description (e.g., 'Drug use').

Field Type: Text.

Harmful Event1 Harmful Event2 Harmful Event3 Harmful Event4 Harmful Event5

Variable Name: HARM_EVNT1 Variable Name: HARM_EVNT2 Variable Name: HARM_EVNT3 Variable Name: HARM_EVNT4 Variable Name: HARM_EVNT5

Definition: Most harmful event in the crash sequence (e.g., 'Ran off road right').

Field Type: Text.

Primary Action

Variable Name: PRR_ACTN

Definition: Primary action of the unit during the crash (e.g., 'Backing').

Field Type: Text.

Speed Limit

Variable Name: SPD_LIMT

Definition: Posted speed limit.

Field Type: Numeric.

Unit File

Unit Type

Variable Name: UNIT_TYPE

Definition: Unit type (e.g., 'Vehicle').

Field Type: Text.

Unit Number

Variable Name: UNIT_NUM

Definition: Number assigned to vehicle/person involved.

Field Type: Numeric.

Vehicle Type

Variable Name: VEHC_TYPE

Definition: Vehicle type (e.g., 'Sport utility').

Field Type: Text.

Person File

Person File

Crash ID

Definition: Crash ID that is used to link crash, person, and unit variables across tables.

Field Type: Numeric.

Contributing Action

Definition: Contributing circumstance on the part of the person involved in the crash that contributed to the crash (e.g., 'Failure to reduce speed').

Field Type: Text.

Driver or Occupant Restraint

Definition: Restraint used in crash (e.g., 'Shoulder and lap belt').

Field Type: Text.

Ejection Indicator

Definition: Indicator that occupant was ejected from the vehicle (e.g., 'Not ejected').

Field Type: Text.

Injury Severity

Definition: The severity of injury for the person involved in the crash (e.g., No injury).

Field Type: Text.

Party Type Description

Definition: Type of person involved in crash (e.g., 'Pedalcyclist'). Note, many pedestrians will be identified as a 'Driver' in this field; however, they can be identified by a lack of corresponding Crash ID and Unit Number in the Unit file.

Field Type: Text

Variable Name: HZRD_ACTN

Variable Name: CRSH ID

Variable Name: RSTR USE

Variable Name: INJY_SVTY

35

Variable Name: PRTY_TYPE_DESC

Variable Name: PRTY EJCT

Person File

Person Age

Definition: Person age.

Field Type: Numeric.

Person Sex

Definition: Sex of the person (e.g., 'Female').

Field Type: Text.

Position

Definition: Position of the person within or on the vehicle (where applicable; e.g., 'Front – right').

Field Type: Text.

Unit Number

Variable Name: UNIT_NUM

Definition: Number assigned to vehicle involved.

Field Type: Numeric.

Variable Name: PRTY_AGE

Variable Name: GNDR_DESC

Variable Name: POS

Intersection File

Intersection Node Type

Definition: Intersection type.

Field Type: Coded.

- 1 'Cul-de-Sac'
- 2 'Uncontrolled'
- 3 'Sign Controlled'
- 4 'End'
- 5 'Signalized'
- 6 'Permanent Barrier'
- 7 'Non-Intersection'

Intersection Number

Definition: Unique intersection number.

Field Type: Numeric.

Latitude

Definition: Geographic latitude of intersection.

Field Type: Numeric.

Longitude

Definition: Geographic longitude of intersection.

Field Type: Numeric.

Streets at Intersection

Definition: Streets at intersection.

Field Type: Text.

Variable Name: CONTROLTYP

Variable Name: INTERSECTI

Variable Name: LAT

Variable Name: LON

Variable Name: STREETS

HSIS Guidebook – CLT

Intersection File

Street Unit ID 1

Definition: Street ID 1.

Field Type: Numeric.

Street Unit ID 2

Definition: Street ID 2.

Field Type: Numeric.

Street Unit ID 3

Definition: Street ID 3.

Field Type: Numeric.

X Coordinate

Definition: X coordinate of the intersection in North Carolina State Plane.

Field Type: Numeric.

Y Coordinate

Definition: Y coordinate of the intersection in North Carolina State Plane

Field Type: Numeric.

Variable Name: STUNITID1

Variable Name: STUNITID2

Variable Name: STUNITID3

Variable Name: XCOORD

Variable Name: YCOORD

Bicycle Lane File

Bicycle Lane File

Bike Lanes

Definition: Type of bike lanes (e.g., 'Buffered').

Field Type: Text.

Lane Notes

Definition: Notes about the bike lanes.

Field Type: Text.

Length of Bike Lane

Definition: Length of the bike lane (miles).

Field Type: Numeric.

Side of the Street

Definition: Side of the street (e.g., 'One Side').

Field Type: Text.

Street Name

Definition: Street name (e.g., 'N Davidson St').

Field Type: Text.

Total Width

Definition: Total width of the bike lane (feet).

Field Type: Numeric.

Variable Name: BIKE_LANES

Variable Name: LANE_NOTES

Variable Name: LENGT_MILE

Variable Name: SIDEOFSTRE

Variable Name: WHOLESTNAM

Variable Name: TOTALWIDTH

Bicycle Lane File

Year Built

Variable Name: YEAR_BUILT

Definition: Year of construction.

Field Type: Numeric.

Sidewalk File

Sidewalk File

Asset ID

Definition: Unique ID (e.g., 'SW28119').

Field Type: Text.

Beginning of Sidewalk Description

Definition: Street name at one end of the sidewalk (e.g., 'Randolph Rd').

Field Type: Text.

Comments on the Sidewalk

Definition: Miscellaneous agency comments on the sidewalk (e.g., 'trees partially obscure sidewalk').

Field Type: Text.

End of Sidewalk Description

Definition: Street name at the opposite end of the sidewalk from 'BEG_DESC' (e.g., 'Yorkdale Dr').

Field Type: Text.

Location Description

Definition: Combined description based on the street names at both ends of the sidewalk (e.g., 'S Alexander St - E 4th St Crossing Dr').

Field Type: Text.

Location of the Sidewalk

Definition: Textual description of the location of the sidewalk ('Gretna Green Dr From Yorkdale Dr To Yorkdale Dr').

Field Type: Text.

HSIS Guidebook – CLT

Variable Name: ASSETDESC

Variable Name: LOCATION

44

Variable Name: ASSETID

Variable Name: END_DESC

Variable Name: BEG_DESC

Variable Name: COMMENTS

Sidewalk File

Street

Variable Name: STREET

Definition: Name of the street which the sidewalk parallels (e.g., 'Yorkdale Dr').

Field Type: Text.

Width of Sidewalk

Variable Name: WIDTH

Definition: Width of sidewalk (feet).

Field Type: Numeric.

Greenway File

Greenway File

Date of Completion

Definition: Date of the trail was completed (MMDDYYYY).

Field Type: Date.

Length

Definition: Length of the greenway (miles).

Field Type: Numeric.

Location

Definition: Description of the greenway's location (e.g., 'Pineville-Matthews Rd to Carmel Rd').

Field Type: Text.

Trail Name

Definition: Name of the trail (e.g., 'McMullen Creek Greenway').

Field Type: Text.

Trail Surface

Definition: Surface material of the trail (e.g., 'Wood').

Field Type: Text.

Type of Trail

Definition: Categorical type of the trail (e.g., 'Greenway').

Field Type: Text.

Variable Name: TRAIL_NAME

Variable Name: TRAIL_TYPE

Variable Name: TRAIL SURF

Variable Name: COMPLETION

Variable Name: MILES

Variable Name: MEMO

47

Bus Route File

Bus Route File

Route Name

Definition: Route name (e.g., 'Carowinds').

Field Type: Text.

Route Number

Definition: Route number.

Field Type: Numeric.

Route Type

Definition: Type of bus route (e.g., 'Express').

Field Type: Text.

Variable Name: ROUTE_NAME

Variable Name: ROUTE_TYPE

Variable Name: ROUTE_NUM

Bus Stop File

Bus Stop File

Direction

Definition: Direction of travel (e.g., 'Inbound').

Field Type: Text.

Latitude

Definition: Latitudinal location of the stop.

Field Type: Numeric.

Location of the Pole

Definition: Location of the stop pole (e.g., 'Forward facing back of curb').

Field Type: Text.

Longitude

Definition: Longitudinal location of the stop.

Field Type: Numeric.

Nearest Intersection

Definition: Nearest intersection (e.g., 'SOUTHERN PINE & ARROWPOINT').

Field Type: Text.

Presence of Bench

Definition: Presence of bench (e.g., 'Bench').

Field Type: Text.

Variable Name: Y

Variable Name: X

Variable Name: POLE_LOCAT

Variable Name: NEAREST IN

Variable Name: BENCH

Bus Stop File

Presence of Shelter

Definition: Presence of shelter (e.g., 'Shelter').

Field Type: Text.

Routes

Definition: Routes that use the stop (e.g., '24, 56').

Field Type: Text.

Sidewalk

Definition: Presence of sidewalk (e.g., 'sidewalk').

Field Type: Text.

Stop Description

Definition: Description of where the bus stop is located (e.g., 'Tuckaseegee Rd & Enderly Rd').

Field Type: Text.

Stop ID

Definition: Unique ID for each bus stop.

Field Type: Text.

Transfer Point

Definition: Indicator of transfer point ('transfer point').

Field Type: Text.

Variable Name: SHELTER

Variable Name: ROUTES

Variable Name: SIDEWALK

Variable Name: STOPDESC

Variable Name: STOPID

Variable Name: TRANS_P

Trashcans

Variable Name: TRASHCANS

Definition: Number of trash cans located at the stop.

Field Type: Numeric.

Light Rail Route File

Light Rail Route File

Length

Variable Name: LENGTH

Definition: Length (miles).

Field Type: Numeric.

Project Description

Variable Name: PROJECT_DE

Definition: Status or phase of the project/route (e.g., 'In Service').

Field Type: Text.

Track Name

Variable Name: TRACKDESCR

Definition: Description of the track (e.g., 'BLE Southbound-Track 2').

Field Type: Text.

Light Rail Stop File

Light Rail Stop File

Address of the Light Rail Station

Definition: Address of the light rail station (e.g., '218 E. Carson Bv').

Field Type: Text.

Bike Locker Availability

Definition: Presence of a bike locker (e.g., 'Yes').

Field Type: Text.

Bike Rack Availability

Definition: Presence of a bike rack (e.g., 'Yes').

Field Type: Text.

Geographic Location X Coordinate

Definition: North Carolina State Plane X Measurement of the station (e.g., '1447231.052106').

Field Type: Numeric.

Geographic Location Y Coordinate

Definition: North Carolina State Plane Y Measurement of the station (e.g., '539708.192731').

Field Type: Numeric.

Light Rail Line

Definition: Applicable light rail line.

Field Type: Text.

Location of the Platform

Definition: Location of the platform (e.g., 'Side').

HSIS Guidebook – CLT

Variable Name: STATIONTYP

Variable Name: X

Variable Name: Y

Variable Name: ADDRESS

Variable Name: BIKELOCKER

Variable Name: BIKERACK

Variable Name: PLATFORM

Light Rail Stop File

Field Type: Text.

Name of the Light Rail Station

Definition: Name of the light rail station (e.g., 'Carson').

Field Type: Text.

Number of Parking Spaces

Definition: Number of parking spaces.

Field Type: Numeric.

Park and Ride Availability

Definition: Presence of a park and ride facility (e.g., 'Yes').

Field Type: Text.

Zip Code of the Light Rail Station

Definition: Zip code of the light rail station.

Field Type: Numeric.

Variable Name: NAME

Variable Name: PARKSPACES

Variable Name: PARKNRIDE

Variable Name: ZIPCODE

58

Railroad File

Definition: Connection status of railroad (e.g., 'Connected').

Field Type: Text.

Railroad File

Connection Type

In Service

Definition: Indicator that railroad line is in service at the time of the dataset.

Field Type: Coded.

'Y' 'Yes' 'N' 'No'

Operating Organization

Definition: Coded name of the operating organization.

Field Type: Coded.

'NS'	'Norfolk Southern'
'CSX'	'CSX Transportation'
'ACWR'	'Aberdeen Carolina & Western Railway'

Operating Organization – Full Name

Definition: Full name of the operating organization (e.g., 'Norfolk Southern').

Field Type: Text.

Out Service

Definition: Out of service date (MM/DD/YYYY).

Field Type: Date.

Ownership Organization

Definition: Coded name of the ownership organization.

HSIS Guidebook – CLT

Variable Name: CONNECTY

Variable Name: INSERVICE

Variable Name: OPERATOR

Variable Name: NAME

Variable Name: OUTSERVICE

Variable Name: OWNER

Railroad File

Field Type: Coded.

'NS'	'Norfolk Southern'
'NCRL'	'North Carolina Railroad Company'
'CSX'	'CSX Transportation'
'ACWR'	'Aberdeen Carolina & Western Railway'
'CSX/NS'	'CSX Transportation and Norfolk Southern'
'DTNC'	'North Carolina Department of Transportation'

Ownership Organization – Full Name

Definition: Full name of the ownership organization of the railroad line (e.g., 'Norfolk Southern').

Field Type: Text.

Presence of High-Speed Rail

Definition: Relevant high speed rail corridor (e.g., 'Southeast High Speed Rail Corridor').

Field Type: Text.

Presence of Passenger Service

Definition: Passenger service indicator.

Field Type: Coded.

'Υ' 'Yes' 'N' 'No'

Type of Track

Definition: Type of the track (e.g., 'Industry').

Field Type: Text.

Variable Name: PASSSERVIC

Variable Name: HSR

Variable Name: TRACKTYPE

Variable Name: OWNERLONG

File	SAS Variable Name	Variable	Description of Change	Year of
		Description		Change
Accident	ACC_DATE	DATE TIME	Variable name changed to 'DATE_VAL'	2018
Accident	ACCYR	YEAR	Variable name changed to 'DATE_VAL_Y'	2018
Accident	ALIGN	ALIGN	N/A	
Accident	ALIGN_CD	ALIGN CODE	N/A	
Accident	CASENO	CASE NUMBER	Variable name changed to 'CRSH_ID'	2018
			Variable name 'CASE_NUM' added	2019
Accident	CAUSE1	PRIMARY CAUSE	Variable name changed to 'PRIMARY'	2018
Accident	CAUSE1_CD	PRIMARY CAUSE CODE	Variable discontinued	2018
Accident	CAUSE2	SECONDARY CAUSE	Variable name changed to 'SECONDARY'	2018
Accident	CAUSE2_CD	SECONDARY CAUSE CODE	Variable discontinued	2018
Accident	CNST_ACT	CONSTRUCTION RELATED	Variable added	2014
Accident	CNST_LANE_CLSD_IND	LANE CLOSED	Variable added	2014
			Variable discontinued	2018
Accident	CNST_TYPE	CONSTRUCTION TYPE	Variable added	2014
Accident	CNST_TYPE_CD	CONSTRUCTION TYPE CODE	Variable added	2014
			Variable discontinued	2018
Accident	COUNTY	COUNTY	Variable discontinued	2018
Accident	COUNTY_CD	COUNTY CODE	Variable discontinued	2018
Accident Accident	CREATE_TIMESTAMP DAY	CREATE TIMESTAMP DATE VALUE DAY	Variable discontinued Variable name changed to 'DATE_VAL_D'	2018 2018
Accident	INTR_SRET	INTERSECTING STREET	Variable discontinued	2018
Accident	LATITUDE	LATITUDE	N/A	
Accident	LIGHT	LIGHT CONDITION	Variable name changed to 'LIT'	2018
Accident	LIGHT_CD	LIGHT CONDITION CODE	Variable name changed to 'LIT_CD'	2018
Accident	LONGITUDE	LONGITUDE	N/A	
Accident	MHARM_AC	CRASH TYPE	Variable name changed to 'CRASH_TYPE'	2018
Accident	MHARM_AC_CD	CRASH TYPE CODE	Variable discontinued	2018
Accident	MILT_TIME	MILITARY TIME	N/A	
Accident	MONTH	DATE VALUE MONTH	Variable name changed to 'DATE_VAL_M'	2018
Accident	MONTH_DESC	DATE VALUE DESCRIPTION	Variable added	2013
			Variable discontinued	2018

File	SAS Variable Name	Variable	Description of Change	Year of
		Description		Change
Accident	NARRATIVE	NARRATIVE	Variable not present	2015
Accident	NO_LANES	NUMBER OF LANES	Variable name changed to 'NUM_LANES'	2018
Accident	NUM _A	NUMBER OF A INJURIES	Variable name changed to `NUM_INJY_A'	2018
Accident	NUM_B	NUMBER OF B INJURIES	Variable name changed to `NUM_INJY_B'	2018
Accident	NUM_C	NUMBER OF C INJURIES	Variable name changed to 'NUM_INJY_C'	2018
Accident	NUM_KILL	NUMBER OF FATALITIES	Variable name changed to 'NUM_FATL'	2018
Accident	NUMINJ	NUMBER OF INJURIES	Variable name changed to 'NUM_INJY'	2018
Accident	ONRDSEG_ID	UNIQUE IDENTIFIER	Variable discontinued	2018
Accident	ORIG_DRTN_CD	ORIGINAL DIRECTION CODE	Variable discontinued	2018
Accident	RD_COND	ROAD CONDITION	N/A	
Accident	RD_COND_CD	ROAD CONDITION CODE	Variable discontinued	2018
Accident	RD_RLTN	ROAD RELATION	Variable added	2014
Accident	RD_SURF	ROAD SURFACE	N/A	
Accident	RD_SURF_CD	ROAD SURFACE CODE	Variable discontinued	2018
Accident	RDWY_AREA	ROADWAY AREA	Variable added	2014
Accident	RDWY_AREA_CD	ROADWAY AREA CODE	Variable added	2014
			Variable discontinued	2018
Accident	RUR_URB	URBAN RURAL	Variable added	2014
			Variable discontinued	2018
Accident	RUR_URB_DESC	URBAN RURAL DESCRIPTION	Variable added Variable name changed to	2014 2018
Accident	SEVERITY	CRASH LEVEL	'URBAN_RU' Variable name changed to	
			'CRSH_LEVL'	
Accident	STUDY_LOCATION_ID	STUDY LOCATION ID	Variable added	2014
			Variable not present	2015
Accident			Variable discontinued	2018
Accident	TRF_CNTL	TRAFFIC CONTROL	Variable name changed to 'TRFC_CTRL'	2018
Accident	TRF_CNTL_CD	TRAFFIC CONTROL CODE	Variable name changed to 'TRFC_CTRL_CD'	2018
Accident	WEATHER	WEATHER	Variable name changed to 'WTHR'	2018
Accident	WEATHER_CD	WEATHER CODE	Variable discontinued	2018
Accident	WEEKDAY	DAY OF WEEK	Variable discontinued	2018

File	SAS Variable Name	Variable	Description of Change	Year of
		Description		Change
Accident	WEEKDAY_DESC	DAY OF WEEK	Variable name changed to	2018
	_	DESCRIPTION	'DATE_VAL_W'	
Roadway	AADT	AVERAGE ANNUAL	N/A	
-		DAILY TRAFFIC		
Roadway	BARRIER	BARRIER	N/A	
Roadway	DIVIDED	DIVIDED	N/A	
Roadway	HOVLANE	HOV LANE	N/A	
Roadway	LENGTH	SEGMENT LENGTH	N/A	
Roadway	LL_ADD	LOWER LEFT ADDRESS	N/A	
Roadway	LR_ADD	LOWER RIGHT	N/A	
		ADDRESS		
Roadway	MEDIAN	MEDIAN	N/A	
Roadway	NO_LANES	NUMBER OF LANES	Variable name changed to NUMBEROFLA	2011
			Variable name changed back to NO_LANES	2012
			Variable name changed to NUMBEROFLA	2018
Roadway	ONEWAY	ONE WAY	N/A	
Roadway	ONRDSEG_ID	UNIQUE IDENTIFIER	Variable discontinued	2018
Roadway	PREFIXDIRE	PREFIX DIRECTION	N/A	
Roadway	ROAD_ID	ROAD ID	Variable name changed to 'ROAD_ID_1'	2010
			Variable name changed back to 'ROAD_ID'	2011
			Variable discontinued	2018
Roadway	ROADTYPE	ROAD TYPE (road or	N/A	2020
		driveway)		
Roadway	SEGMENT ID	SEGMENT ID	Variable discontinued	2018
Roadway	SPD_LIMT	SPEED LIMIT	Variable name changed to 'SPEEDLIMIT'	2011, 2013, 2018 onwards
Roadway	SPEEDHUMP	SPEED HUMP	N/A	onwarus
Roadway	STANDTYPE	STAND TYPE	N/A	
Roadway	STREETCLAS	STREET	N/A	<u> </u>
Noutway		CLASSIFICATION		
Roadway	STREETNAME	STREET NAME	N/A	1
Roadway	STREETTYPE	Street Type	Variable added	2018
Roadway	SUFFIX	SUFFIX DIRECTION	N/A	
Roadway	SURF_WID	PAVEMENT WIDTH	Variable name changed to 'PAVEMENTWI'	2018
Roadway	SURFACETYP	SURFACE TYPE	N/A	
Roadway	THOROUGHFA	THOROUGH FARE	Variable not present	2007
Roadway	UL ADD	UPPER LEFT ADDRESS	N/A	2007

File	SAS Variable Name	Variable	Description of Change	Year of
		Description		Change
Roadway	UR ADD	UPPER RIGHT ADDRESS	N/A	
Roadway	WHOLESTNAM	STREETNAME +	N/A	
	4.65	STREETTYPE		-
Occupant	AGE	OCCUPANT AGE	Variable name changed to 'PRTY_AGE'	2018
Occupant	CASENO	CRASH ID	Variable name changed to 'CRSH_ID'	2018
Occupant	CONTRIB	HAZARDOUS ACTION	Variable name changed to 'HZRD_ACTN'	2018
Occupant	CONTRIB_CD	HAZARDOUS ACTION CODE	Variable name changed to 'HZRD_ACTN_CD'	2018
Occupant	DRV_INJ	INJURY SEVERITY	Variable name changed to 'INJY_SVTY'	2018
Occupant	DRV_INJ_CD	INJURY SEVERITY CODE	Variable name changed to 'INJY_SVTY_CD'	2018
Occupant	PRSN_TYP	PARTY TYPE	Variable discontinued	2018
Occupant	PRSN_TYP_DESC	PARTY TYPE	Variable name changed to	2018
		DESCRIPTION	'PRTY_TYPE_DESC'	
Occupant	POS	POSITION	Variable added	2014
			Variable not present	2016
Occupant	POS_CD	POSITION CODE	Variable added	2014
			Variable not present	2016
			Variable discontinued	2018
Occupant	PRTY_EJCT	Ejection Indicator	Variable added	2018
Occupant	REST1	DRV/OCC RESTRAINT	Variable name changed to 'RSTR_USE'	2018
Occupant	REST1_CD	DRV/OCC RESTRAINT CODE	Variable discontinued	2018
Occupant	SEX	DRIVER/OCCUPANT SEX	Variable name changed to 'GNDR_DESC'	2018
Occupant	VEHNO	VEHICLE NUMBER	Variable name changed to 'UNIT_NUM'	2018
Vehicle	CASENO	CRASH ID	Variable name changed to 'CRSH_ID'	2018
Vehicle	CONTRIB1	DRV CONTRIB CIRCUMS 1	Variable added	2014
			Variable name changed to 'CONTRIB_FACTOR1'	2018
Vehicle	CONTRIB2	DRV CONTRIB CIRCUMS 2	Variable added	2014
			Variable name changed to 'CONTRIB_FACTOR2'	2018
Vehicle	CONTRIB3	DRV CONTRIB CIRCUMS 3	Variable added	2014
			Variable name changed to `CONTRIB_FACTOR3'	2018

File	SAS Variable Name	Variable Description	Description of Change	Year of Change
Vehicle	CONTRIB1_CD	DRV CONTRIB CIRCUMS CD 1	Variable added	2014
			Variable discontinued	2018
Vehicle	CONTRIB2_CD	DRV CONTRIB CIRCUMS CD 2	Variable added	2014
			Variable discontinued	2018
Vehicle	CONTRIB3_CD	DRV CONTRIB CIRCUMS CD 3	Variable added	2014
			Variable discontinued	2018
Vehicle	DIR_TRVL	DIRECTION	Variable discontinued	2018
Vehicle	DIR_TRVL_CD	DIRECTION CODE	Variable discontinued	2018
Vehicle	EVENT1	HARMFUL EVENT1	Variable name changed to 'HARM_EVNT1'	2018
Vehicle	EVENT2	HARMFUL EVENT2	Variable name changed to 'HARM_EVNT2'	2018
Vehicle	EVENT3	HARMFUL EVENT3	Variable name changed to 'HARM_EVNT3'	2018
Vehicle	EVENT4	HARMFUL EVENT4	Variable name changed to 'HARM_EVNT4'	2018
Vehicle	EVENT5	HARMFUL EVENT5	Variable name changed to 'HARM_EVNT5'	2018
Vehicle	MANEUVER	PRIMARY ACTION	Variable name changed to 'PRR_ACTN'	2018
Vehicle	MANEUVER_CD	PRIMARY ACTION CODE	Variable discontinued	2018
Vehicle	PRMY_VEHC_USE	PRIMARY VEHICLE USE	N/A	
Vehicle	PRMY_VEHC_USE_CD	PRIMARY VEHICLE USE	Variable discontinued	2018
Vehicle	SPD LIMT	SPEED LIMIT	N/A	
Vehicle	TRFC_CTRL	TYPE OF TRAFFIC CONTROL	N/A	
Vehicle	UNIT TYPE	UNIT TYPE	N/A	
Vehicle	UNIT TYPE CD	UNIT TYPE CODE	Variable discontinued	2018
Vehicle	VEH_DEF	VEHICLE DEFECT	Variable name changed to 'VEHC_DFCT'	2018
Vehicle	VEH_DEF_CD	VEHICLE DEFECT CODE	Variable discontinued	2018
Vehicle	VEHNO	UNIT NUMBER	Variable name changed to 'UNIT_NUM'	2018
Vehicle	VEHTYPE	VEHICLE TYPE	Variable name change to 'VEHC_TYPE'	2018
Vehicle	VEHTYPE_CD	VEHICLE TYPE CODE	Variable discontinued	2018
Vehicle	VEHYR	VEHICLE YEAR	Variable name change to 'VEHC_YR'	2018